Product Datasheet

TRAF-2 Antibody [Janelia Fluor® 549] NBP1-77248JF549

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-77248JF549

Updated 7/11/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-77248JF549



NBP1-77248JF549

TRAF-2 Antibody [Janelia Fluor® 549]

Product Information 0.1 ml Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Polyclonal Preservative 0.05% Sodium Azide Isotype IgG Conjugate Janelia Fluor 549 Purity Peptide affinity purified Buffer 50m Modium Borate Product Description Rabbit Gene ID 7186 Gene Symbol TRAF2 Species Human, Mouse, Rat Reactivity Notes 0 Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human TRAF2. The immunogen is located within amino acids 180 - 230 of TRAF2. Amino Acid Squence: CGKKKIPREKFQDHVK Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunoprecipitation, Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunocytochemistry Immunofluorescence, Immunoprecipitation, Immunocytochemistry Immunof	I RAF-2 Antibody [Janelia Fluor® 549]		
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Polyclonal Preservative 0.05% Sodium Azide Isotype IgG Conjugate Janelia Fluor 549 Purity Peptide affinity purified Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 7186 Gene Symbol TRAF2 Species Human, Mouse, Rat Reactivity Notes 0 Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human TRAF2. The immunogen is located within amino acids 180 - 230 of TRAF2. Amino Acid Squence: CGKKKIPREKFQDHVK Notes Product Application Details Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunopistochemistry, Immunoprecipitation, Immunopistochemistry, Immunoprecipitation, Immunopistochemistry, Immunoprecipitation, Immunopistochemistry, Immunoprecipitation, Immunopistochemistry, Immunopistochemistry, Immunoprecipitation, Immunopistochemistry, Immunopistoche	Product Information		
Storage Store at 4C in the dark. Clonality Polyclonal Preservative 0.05% Sodium Azide Isotype IgG Conjugate Janelia Fluor 549 Purity Peptide affinity purified Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 7186 Gene Symbol TRAF2 Species Human, Mouse, Rat Reactivity Notes 0 Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human TRAF2. The immunogen is located within amino acids 180 - 230 of TRAF2. Amino Acid Squence: CGKKKIPREKFQDHVK Notes Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immu	Unit Size	0.1 ml	
Clonality Polyclonal Preservative 0.05% Sodium Azide Isotype IgG Conjugate Janelia Fluor 549 Purity Peptide affinity purified Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 7186 Gene Symbol TRAF2 Species Human, Mouse, Rat Reactivity Notes 0 Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human TRAF2. The immunogen is located within amino acids 180 - 230 of TRAF2. Amino Acid Squence: CGKKKIPREKFQDHVK Product Application Details Applications Western Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunopericipitation, Immunocytochemistry/Immunofluorescence, Immunopericipitation, Immunopistochemistry/Immunofluorescence, Immunopericipitation, Immunopistochemistry/Paraffin	Concentration	•	
Preservative 0.05% Sodium Azide Isotype IgG Conjugate Janelia Fluor 549 Purity Peptide affinity purified Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 7186 Gene Symbol TRAF2 Species Human, Mouse, Rat Reactivity Notes 0 Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human TRAF2. The immunogen is located within amino acids 180 - 230 of TRAF2. Amino Acid Squence: CGKKKIPREKFQDHVK Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry-Paraffin, Immunoprecipitation Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation, Immunoprecipita	Storage	Store at 4C in the dark.	
Isotype IgG Conjugate Janelia Fluor 549 Purity Peptide affinity purified Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 7186 Gene Symbol TRAF2 Species Human, Mouse, Rat Reactivity Notes 0 Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human TRAF2. The immunogen is located within amino acids 180 - 230 of TRAF2. Amino Acid Squence: CGKKKIPREKFQDHVK Notes Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunohistochemistry, Immunohistochemistry, Immunoprecipitation, Immunoprecipitation, Immunohistochemistry-Paraffin	Clonality	Polyclonal	
Conjugate Janelia Fluor 549 Purity Peptide affinity purified Buffer 50mM Sodium Borate Product Description Host Rabbit Rabbit Gene ID 7186 Gene Symbol TRAF2 Species Human, Mouse, Rat Reactivity Notes 0 Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human TRAF2. The immunogen is located within amino acids 180 - 230 of TRAF2. Amino Acid Squence: CGKKKIPREKFQDHVK Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunoprecipitation Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation, Immunohistochemistry, Immunoprecipitation, Immunohistochemistry, Immunoprecipitation, Immunohistochemistry-Paraffin	Preservative	0.05% Sodium Azide	
Purity Peptide affinity purified Buffer 50mM Sodium Borate Product Description Host Rabbit Rabbit Gene ID 7186 Gene Symbol TRAF2 Species Human, Mouse, Rat Reactivity Notes 0 Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human TRAF2. The immunogen is located within amino acids 180 - 230 of TRAF2. Amino Acid Squence: CGKKKIPREKFQDHVK Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunoprecipitation, Immunoprecipitation, Immunohistochemistry, Immunohistochemistry, Immunoprecipitation, Immunohistochemistry, Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin	Isotype	IgG	
Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 7186 Gene Symbol TRAF2 Species Human, Mouse, Rat Reactivity Notes 0 Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human TRAF2. The immunogen is located within amino acids 180 - 230 of TRAF2. Amino Acid Squence: CGKKKIPREKFQDHVK Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin	Conjugate	Janelia Fluor 549	
Product Description Host Rabbit Gene ID 7186 Gene Symbol TRAF2 Species Human, Mouse, Rat Reactivity Notes 0 Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human TRAF2. The immunogen is located within amino acids 180 - 230 of TRAF2. Amino Acid Squence: CGKKKIPREKFQDHVK Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunoprecipitation Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin	Purity	Peptide affinity purified	
Host Rabbit Gene ID 7186 Gene Symbol TRAF2 Species Human, Mouse, Rat Reactivity Notes 0 Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human TRAF2. The immunogen is located within amino acids 180 - 230 of TRAF2. Amino Acid Squence: CGKKKIPREKFQDHVK Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunoprecipitation Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin	Buffer	50mM Sodium Borate	
Gene Symbol TRAF2 Species Human, Mouse, Rat Reactivity Notes 0 Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human TRAF2. The immunogen is located within amino acids 180 - 230 of TRAF2. Amino Acid Squence: CGKKKIPREKFQDHVK Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunoprecipitation Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunocytochemistry/Paraffin	Product Description		
Gene Symbol TRAF2 Species Human, Mouse, Rat Reactivity Notes 0 Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human TRAF2. The immunogen is located within amino acids 180 - 230 of TRAF2. Amino Acid Squence: CGKKKIPREKFQDHVK Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunoprecipitation Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin	Host	Rabbit	
Species Human, Mouse, Rat Reactivity Notes O Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human TRAF2. The immunogen is located within amino acids 180 - 230 of TRAF2. Amino Acid Squence: CGKKKIPREKFQDHVK Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunoprecipitation Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation, Immunocytochemistry/Paraffin	Gene ID	7186	
Reactivity Notes 0	Gene Symbol	TRAF2	
Immunogen Antibody was raised against a 16 amino acid synthetic peptide from near the amino terminus of human TRAF2. The immunogen is located within amino acids 180 - 230 of TRAF2. Amino Acid Squence: CGKKKIPREKFQDHVK Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunoprecipitation Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin	Species	Human, Mouse, Rat	
amino terminus of human TRAF2. The immunogen is located within amino acids 180 - 230 of TRAF2. Amino Acid Squence: CGKKKIPREKFQDHVK Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin	Reactivity Notes	0	
Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin	Immunogen	amino terminus of human TRAF2. The immunogen is located within amino acids	
Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin	Notes		
Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin	Product Application Details		
Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin	Applications		
Application Notes Optimal dilution of this antibody should be experimentally determined.	Recommended Dilutions	Immunocytochemistry/Immunofluorescence, Immunoprecipitation,	
	Application Notes	Optimal dilution of this antibody should be experimentally determined.	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-77248JF549

NBP2-24891JF549 Rabbit IgG Isotype Control [Janelia Fluor 549]

H00007186-P01-10ug Recombinant Human TRAF-2 GST (N-Term) Protein

210-TA-005 TNF-alpha [Unconjugated]

NB100-56172PEP TRAF-2 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-77248JF549

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

