Product Datasheet

XBP1 Antibody - BSA Free NBP1-77252

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-77252

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-77252



NBP1-77252


XBP1 Antibody - BSA Free

Unit Size 0.1 mg Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 7494 Gene Symbol XBP1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Bovine (83%) Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human XBP-1. The immunogen is located within the last 50 amino acids of XBP-1. Amino Acid Squence: LPAWRSSQRSTQKDPVPY Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence	XBP1 Antibody - BSA Free	
Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 7494 Gene Symbol XBP1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Bovine (83%) Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human XBP-1. The immunogen is located within the last 50 amino acids of XBP-1. Amino Acid Squence: LPAWRSSQRSTQKDPVPY Product Application Details Applications Western Blot , ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Product Information	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 7494 Gene Symbol XBP1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Bovine (83%) Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human XBP-1. The immunogen is located within the last 50 amino acids of XBP-1. Amino Acid Squence: LPAWRSSQRSTQKDPVPY Product Application Details Applications Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Unit Size	0.1 mg
cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 7494 Gene Symbol XBP1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for nontested species: Bovine (83%) Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human XBP-1. The immunogen is located within the last 50 amino acids of XBP-1. Amino Acid Squence: LPAWRSSQRSTQKDPVPY Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Concentration	1 mg/ml
Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 7494 Gene Symbol XBP1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Bovine (83%) Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human XBP-1. The immunogen is located within the last 50 amino acids of XBP-1. Amino Acid Squence: LPAWRSSQRSTQKDPVPY Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Storage	·
Isotype	Clonality	Polyclonal
Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 7494 Gene Symbol XBP1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for nontested species: Bovine (83%) Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human XBP-1. The immunogen is located within the last 50 amino acids of XBP-1. Amino Acid Squence: LPAWRSSQRSTQKDPVPY Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Preservative	0.02% Sodium Azide
Buffer PBS Product Description Host Rabbit Gene ID 7494 Gene Symbol XBP1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Bovine (83%) Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human XBP-1. The immunogen is located within the last 50 amino acids of XBP-1. Amino Acid Squence: LPAWRSSQRSTQKDPVPY Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Isotype	IgG
Product Description Host Rabbit Gene ID 7494 Gene Symbol XBP1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Bovine (83%) Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human XBP-1. The immunogen is located within the last 50 amino acids of XBP-1. Amino Acid Squence: LPAWRSSQRSTQKDPVPY Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Purity	Peptide affinity purified
Host Rabbit Gene ID 7494 Gene Symbol XBP1 Species Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Bovine (83%) Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human XBP-1. The immunogen is located within the last 50 amino acids of XBP-1. Amino Acid Squence: LPAWRSSQRSTQKDPVPY Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Buffer	PBS
Gene Symbol XBP1 Species Human, Mouse, Rat Immunogen displays the following percentage of sequence identity for nontested species: Bovine (83%) Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human XBP-1. The immunogen is located within the last 50 amino acids of XBP-1. Amino Acid Squence: LPAWRSSQRSTQKDPVPY Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Product Description	
Gene Symbol XBP1 Human, Mouse, Rat Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Bovine (83%) Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human XBP-1. The immunogen is located within the last 50 amino acids of XBP-1. Amino Acid Squence: LPAWRSSQRSTQKDPVPY Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Host	Rabbit
Species Human, Mouse, Rat Immunogen displays the following percentage of sequence identity for non-tested species: Bovine (83%) Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human XBP-1. The immunogen is located within the last 50 amino acids of XBP-1. Amino Acid Squence: LPAWRSSQRSTQKDPVPY Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Gene ID	7494
Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Bovine (83%) Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human XBP-1. The immunogen is located within the last 50 amino acids of XBP-1. Amino Acid Squence: LPAWRSSQRSTQKDPVPY Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Gene Symbol	XBP1
tested species: Bovine (83%) Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human XBP-1. The immunogen is located within the last 50 amino acids of XBP-1. Amino Acid Squence: LPAWRSSQRSTQKDPVPY Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Species	Human, Mouse, Rat
carboxy terminus of human XBP-1. The immunogen is located within the last 50 amino acids of XBP-1. Amino Acid Squence: LPAWRSSQRSTQKDPVPY Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Reactivity Notes	
Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Immunogen	carboxy terminus of human XBP-1. The immunogen is located within the last 50
Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Product Application Details	
	Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence
	Recommended Dilutions	




Images


Western Blot: XBP1 Antibody [NBP1-77252] - Hepatic ALOX15KO inhibited alcohol-induced XBP1 up-regulation. Image from verified customer review.



Immunocytochemistry/Immunofluorescence: XBP1 Antibody [NBP1-77252] - HepG2 cells with XBP-1 antibody at 2 ug/ml.



Western Blot: XBP1 Antibody [NBP1-77252] - PC-3 cell lysate with XBP-1 antibody at (A) 0.5, (B) 1 and (C) 2 ug/ml.



Publications

Hao L, Sun Q, Zhong W et al. Mitochondria-targeted ubiquinone (MitoQ) enhances acetaldehyde clearance by reversing alcohol-induced posttranslational modification of aldehyde dehydrogenase 2: A molecular mechanism of protection against alcoholic liver disease Redox Biol. [PMID: 29156373] (WB)

Park Sh, Shin D, Lim Ss et al. Purple Perilla Extracts Allay ER Stress in Lipid-Laden Macrophages. PLoS OnE. 2014-10-22 [PMID: 25333946] (WB)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-77252

NBP1-77252PEP XBP1 Antibody Blocking Peptide

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-77252

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

