Product Datasheet

BRSK2 Antibody [DyLight 755] NBP1-77281IR

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-77281IR

Updated 7/11/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-77281IR



NBP1-77281IR

BRSK2 Antibody [DyLight 755]

Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Polyclonal Preservative 0.05% Sodium Azide Isotype IgG Conjugate DyLight 755 Purity Peptide affinity purified Buffer SomM Sodium Borate Product Description Host Rabbit Rabbit Gene ID 9024 Gene Symbol BRSK2 Species Human, Mouse Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Rat (87%) Immunogen Antibody was raised against a 23 amino acid synthetic peptide from near the carboxy terminus of human BRSK2. Amino Acid Squence: DPPAAQHLSDTTNNCMEIMMTGRLS Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry. Paraffin Recommended Dilutions Western Blot, ELISA, Immunocytochemistry. Immunohistochemistry. Paraffin	Product Information	
services.StorageStore at 4C in the dark.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugateDyLight 755PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitGene ID9024Gene SymbolBRSK2SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non-tested species: Rat (87%)ImmunogenAntibody was raised against a 23 amino acid synthetic peptide from near the carboxy terminus of human BRSK2. The immunogen is located within amino acids 630 - 680 of BRSK2. Amino Acid Squence: DPPAAQHLSDTTNNCMEMMTGRLSNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry-Paraffin	Unit Size	0.1 ml
Clonality Polyclonal Preservative 0.05% Sodium Azide Isotype IgG Conjugate DyLight 755 Purity Peptide affinity purified Buffer 50mM Sodium Borate Product Description Rabbit Gene ID 9024 Gene Symbol BRSK2 Species Human, Mouse Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Rat (87%) Immunogen Antibody was raised against a 23 amino acid synthetic peptide from near the carboxy terminus of human BRSK2. The immunogen is located within amino acids 630 - 680 of BRSK2. Amino Acid Squence: DPPAAQHLSDTTNNCMEMMTGRLS Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot, ELISA, Immunohistochemistry-Paraffin	Concentration	
Preservative 0.05% Sodium Azide Isotype IgG Conjugate DyLight 755 Purity Peptide affinity purified Buffer 50mM Sodium Borate Product Description Host Host Rabbit Gene ID 9024 Species Human, Mouse Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Rat (87%) Immunogen Antibody was raised against a 23 amino acid synthetic peptide from near the carboxy terminus of human BRSK2. The immunogen is located within amino acids 630 - 680 of BRSK2. Amino Acid Squence: DPPAAQHLSDTTNNCMEMMTGRLS Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry. Immunohistochemistry-Paraffin Recommended Dilutions Western Blot, ELISA, Immunohistochemistry. Immunohistochemistry. Paraffin	Storage	Store at 4C in the dark.
IsotypeIgGConjugateDyLight 755PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitGene ID9024Gene SymbolBRSK2SpeciesHuman, MouseImmunogenAntibody was raised against a 23 amino acid synthetic peptide from near the carboxy terminus of human BRSK2. The immunogen is located within amino acids 630 - 680 of BRSK2. Amino Acid Squence: DPPAAQHLSDTTNNCMEMMTGRLSNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Paraffin	Clonality	Polyclonal
ConjugateDyLight 755PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitGene ID9024Gene SymbolBRSK2SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non-tested species: Rat (87%)ImmunogenAntibody was raised against a 23 amino acid synthetic peptide from near the carboxy terminus of human BRSK2. The immunogen is located within amino acids 630 - 680 of BRSK2. Amino Acid Squence: DPPAAQHLSDTTNNCMEMMTGRLSNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry. ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunohistochemistry.	Preservative	0.05% Sodium Azide
Purity Peptide affinity purified Buffer 50mM Sodium Borate Product Description Rabbit Host Rabbit Gene ID 9024 Gene Symbol BRSK2 Species Human, Mouse Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Rat (87%) Immunogen Antibody was raised against a 23 amino acid synthetic peptide from near the carboxy terminus of human BRSK2. The immunogen is located within amino acids 630 - 680 of BRSK2. Amino Acid Squence: DPPAAQHLSDTTNNCMEMMTGRLS Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Paraffin Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry.Paraffin	Isotype	IgG
Buffer 50mM Sodium Borate Product Description Rabbit Host Rabbit Gene ID 9024 Gene Symbol BRSK2 Species Human, Mouse Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Rat (87%) Immunogen Antibody was raised against a 23 amino acid synthetic peptide from near the carboxy terminus of human BRSK2. The immunogen is located within amino acids 630 - 680 of BRSK2. Amino Acid Squence: DPPAAQHLSDTTNNCMEMMTGRLS Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistr	Conjugate	DyLight 755
Product Description Host Rabbit Gene ID 9024 Gene Symbol BRSK2 Species Human, Mouse Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Rat (87%) Immunogen Antibody was raised against a 23 amino acid synthetic peptide from near the carboxy terminus of human BRSK2. The immunogen is located within amino acids 630 - 680 of BRSK2. Amino Acid Squence: DPPAAQHLSDTTNNCMEMMTGRLS Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immuno	Purity	Peptide affinity purified
HostRabbitGene ID9024Gene SymbolBRSK2SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- tested species: Rat (87%)ImmunogenAntibody was raised against a 23 amino acid synthetic peptide from near the carboxy terminus of human BRSK2. The immunogen is located within amino acids 630 - 680 of BRSK2. Amino Acid Squence: DPPAAQHLSDTTNNCMEMMTGRLSNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry-Paraffin	Buffer	50mM Sodium Borate
Gene ID 9024 Gene Symbol BRSK2 Species Human, Mouse Reactivity Notes Immunogen displays the following percentage of sequence identity for non-tested species: Rat (87%) Immunogen Antibody was raised against a 23 amino acid synthetic peptide from near the carboxy terminus of human BRSK2. The immunogen is located within amino acids 630 - 680 of BRSK2. Amino Acid Squence: DPPAAQHLSDTTNNCMEMMTGRLS Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohisto	Product Description	
Gene SymbolBRSK2SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- tested species: Rat (87%)ImmunogenAntibody was raised against a 23 amino acid synthetic peptide from near the carboxy terminus of human BRSK2. The immunogen is located within amino acids 630 - 680 of BRSK2. Amino Acid Squence: DPPAAQHLSDTTNNCMEMMTGRLSNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application Details ApplicationsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunofluorescence, Immunohistochem	Host	Rabbit
SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- tested species: Rat (87%)ImmunogenAntibody was raised against a 23 amino acid synthetic peptide from near the carboxy terminus of human BRSK2. The immunogen is located within amino acids 630 - 680 of BRSK2. Amino Acid Squence: DPPAAQHLSDTTNNCMEMMTGRLSNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry. Immunohistochemistry. ParaffinRecommended DilutionsWestern Blot, ELISA, Immunofluorescence, Immunohistochemistry. Immunofluorescence, Immunohistochemistry.	Gene ID	9024
Reactivity NotesImmunogen displays the following percentage of sequence identity for non- tested species: Rat (87%)ImmunogenAntibody was raised against a 23 amino acid synthetic peptide from near the carboxy terminus of human BRSK2. The immunogen is located within amino acids 630 - 680 of BRSK2. Amino Acid Squence: DPPAAQHLSDTTNNCMEMMTGRLSNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Imm	Gene Symbol	BRSK2
tested species: Rat (87%)ImmunogenAntibody was raised against a 23 amino acid synthetic peptide from near the carboxy terminus of human BRSK2. The immunogen is located within amino acids 630 - 680 of BRSK2. Amino Acid Squence: DPPAAQHLSDTTNNCMEMMTGRLSNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Paraffin	Species	Human, Mouse
carboxy terminus of human BRSK2. The immunogen is located within amino acids 630 - 680 of BRSK2. Amino Acid Squence: DPPAAQHLSDTTNNCMEMMTGRLSNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry,	Reactivity Notes	
DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsApplicationsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry	Immunogen	carboxy terminus of human BRSK2. The immunogen is located within amino acids 630 - 680 of BRSK2. Amino Acid Squence:
Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immu	Notes	
ApplicationsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin		DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin	Product Application Details	
Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin	Applications	
Application Notes Optimal dilution of this antibody should be experimentally determined.	Recommended Dilutions	
	Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-77281IR

NB100-309	ATM Antibody (2C1)
NBL1-08032	BRSK2 Overexpression Lysate
H00009024-P01-10ug	Recombinant Human BRSK2 GST (N-Term) Protein
NBP2-24891IR	Rabbit IgG Isotype Control [DyLight 755]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-77281IR

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

