Product Datasheet

shootin-1 Antibody - BSA Free NBP1-80753

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-80753

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-80753



NBP1-80753


shootin-1 Antibody - BSA Free

Shootin-1 Ahiibody - BSA Free	
Product Information	
0.1 ml	
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Polyclonal	
0.02% Sodium Azide	
IgG	
Immunogen affinity purified	
PBS (pH 7.2) and 40% Glycerol	
Product Description	
Rabbit	
57698	
SHTN1	
Human, Rat	
This antibody was developed against Recombinant Protein corresponding to amino acids:MNSSDEEKQLQLITSLKEQAIGEYEDLRAENQKTKEKCDKIRQERDEAVK KLEEFQKISHMVIEEVNFMQNHLEIEKTCRESAEALATKLNKEN	
Product Application Details	
Western Blot, Immunocytochemistry/ Immunofluorescence	
Western Blot 0.04-0.4 ug/ml, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml	
ICC/IF, Fixation Permeabilization: Use PFA/Triton X-100.	




Images

Western Blot: shootin-1 Antibody [NBP1-80753] - Analysis using Anti-SHTN1 antibody NBP1-80753 (A) shows similar pattern to independent antibody NBP2-38374 (B).




Immunocytochemistry/Immunofluorescence: shootin-1 Antibody [NBP1-80753] - Staining of human cell line U-251 MG shows localization to nucleoplasm, plasma membrane & cytosol. Antibody staining is shown in green.



Western Blot: shootin-1 Antibody [NBP1-80753] - Lane 1: NIH-3T3 cell lysate (Mouse embryonic fibroblast cells)

Lane 2: NBT-II cell lysate (Rat Wistar bladder tumour cells)



Publications

Wang Y, Fan A, Lu L et al. Exosome modification to better alleviates endoplasmic reticulum stress induced chondrocyte apoptosis and osteoarthritis Biochemical pharmacology 2022-11-09 [PMID: 36370754] (IHC-P, Human)

Details:

Dilution used in IHC-P 1:300

Cicalese S, Torimoto K, Okuno K et al. Endoplasmic Reticulum Chemical Chaperone 3-Hydroxy-2-Naphthoic Acid Reduces Angiotensin II-Induced Vascular Remodeling and Hypertension In Vivo and Protein Synthesis In Vitro Journal of the American Heart Association 2022-11-29 [PMID: 36444851] (IHC-P, Mouse)

Details:

Dilution: 1:500





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-80753

NBP1-80753PEP shootin-1 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-80753

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

