

Product Datasheet

NFIB Antibody - BSA Free NBP1-81000

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 8

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-81000

Updated 12/2/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-81000



NBP1-81000

NFIB Antibody - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol


Product Description	
Description	Novus Biologicals Rabbit NFIB Antibody - BSA Free (NBP1-81000) is a polyclonal antibody validated for use in IHC, WB, ICC/IF and CHIP. Anti-NFIB Antibody: Cited in 8 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	4781
Gene Symbol	NFIB
Species	Human, Mouse
Reactivity Notes	Mouse reactivity reported in scientific literature (PMID: 24553933).
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: VKSGVFNVSELVRVSRTPITQGTGVNFPIGEIPSQPYYHDMNSGVNLQRSLSSP PSSKRPKTISIDENMEPSPTGDFYPSPPSPAAGSRTWHERDQDMSSPTTMKKP EKPLFSSASPQDSSPRLSTFPQHHPGIPGVAHSVISTRTP

Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml
Application Notes	ICC/IF Fixation Permeabilization: PFA/Triton X-100




Images


Immunocytochemistry/Immunofluorescence: NFIB Antibody [NBP1-81000] - Staining of human cell line U-251 MG shows localization to nucleoplasm & nucleoli fibrillar center. Antibody staining is shown in green.



Western Blot: NFIB Antibody [NBP1-81000] - Analysis in human cell line SH-SY5Y.



ChIP-Exo-Seq composite graph for Anti-NFIB (NBP1-81000) tested in K562 cells. Strand-specific reads (blue: forward, red: reverse) and IgG controls (black: forward, grey: reverse) are plotted against the distance from a composite set of reference binding sites. The antibody exhibits robust target enrichment compared to a non-specific IgG control and precisely reveals its structural organization around the binding site. Data generated by Prof. B. F. Pugh's Lab at Cornell University.



Publications

ES Liao, S Jin, YC Chen, WS Liu, M Calon, S Nedelec, Q Nie, JA Chen Single-cell transcriptomic analysis reveals diversity within mammalian spinal motor neurons *Oncogene*, 2023-01-03;14(1):46. 2023-01-03 [PMID: 36596814] (Immunohistochemistry, Mouse)

Hayashi M, Hinckley CA, Driscoll SP, Moore NJ. Graded Arrays of Spinal and Supraspinal V2a Interneuron Subtypes Underlie Forelimb and Hindlimb Motor Control. *Neuron*. 2018-02-21 [PMID: 29398364] (Immunohistochemistry, Mouse)

Gokey J, Snowball J, Sridharan A Et al. YAP regulates alveolar epithelial cell differentiation and AGER via NFIB/KLF5/NKX2-1 *iScience* 2021-09-01 [PMID: 34466790]

Nagel S, Pommerenke C, Meyer C et al. Establishment of the TALE-code reveals aberrantly activated homeobox gene PBX1 in Hodgkin lymphoma *PloS one* 2021-02-04 [PMID: 33539429] (WB, Human)

Bunt J, Lim JW, Zhao L et al. PAX6 does not regulate *Nfia* and *Nfib* expression during neocortical development. *Sci Rep* 2015-05-29 [PMID: 26021864] (IF/IHC, Mouse)

Tsai PC, Bake S, Balaraman S et al. MiR-153 targets the nuclear factor-1 family and protects against teratogenic effects of ethanol exposure in fetal neural stem cells. *Biol Open* 2014-07-25 [PMID: 25063196] (ICC/IF, Mouse)

Grabowska MM, Elliott AD, DeGraff DJ et al. NFI Transcription Factors Interact with FOXA1 to Regulate Prostate-Specific Gene Expression. *Mol Endocrinol* 2014-06-01 [PMID: 24801505] (Chemotaxis, Human)

Piper M, Barry G, Harvey TJ et al. NFIB-Mediated Repression of the Epigenetic Factor *Ezh2* Regulates Cortical Development. *J Neurosci* 2014-02-19 [PMID: 24553933] (IF/IHC, Mouse)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-81000

NBP1-81000PEP	NFIB Recombinant Protein Antigen
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-81000

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

