# **Product Datasheet**

# SLMAP Antibody - BSA Free NBP1-81398

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 2** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-81398

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-81398



## NBP1-81398

SLMAP Antibody - BSA Free


_	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	

Product Description	
Description	Novus Biologicals Rabbit SLMAP Antibody - BSA Free (NBP1-81398) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-SLMAP Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	7871
Gene Symbol	SLMAP
Species	Human, Mouse, Rat
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: TTDAQMDEQDLNEPLAKVSLLKALLEEERKAYRNQVEESTKQIQVLQAQLQRL HIDTENLREEKDSEITSTRDELL

<b>Product Application Details</b>	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF, Fixation Permeabilization: Use PFA/Triton X-100.


## **Images**

Western Blot: SLMAP Antibody [NBP1-81398] - Analysis using Anti-SLMAP antibody NBP1-81398 (A) shows similar pattern to independent antibody NBP1-81397 (B).







Immunocytochemistry/Immunofluorescence: SLMAP Antibody [NBP1-81398] - Staining of human cell line U-2 OS shows localization to cytosol. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: SLMAP Antibody [NBP1-81398] - Staining of human smooth muscle using Anti-SLMAP antibody NBP1-81398.




Western Blot: SLMAP Antibody [NBP1-81398] - Lane 1: NIH-3T3 cell lysate (Mouse embryonic fibroblast cells). Lane 2: NBT-II cell lysate (Rat Wistar bladder tumor cells).




Immunohistochemistry-Paraffin: SLMAP Antibody [NBP1-81398] - Staining of human liver shows low expression as expected.




Immunohistochemistry-Paraffin: SLMAP Antibody [NBP1-81398] - Staining of human smooth muscle shows high expression.




Immunohistochemistry-Paraffin: SLMAP Antibody [NBP1-81398] - Staining in human smooth muscle and liver tissues using anti-SLMAP antibody. Corresponding SLMAP RNA-seq data are presented for the same tissues.




Immunohistochemistry-Paraffin: SLMAP Antibody [NBP1-81398] - Staining of human liver, lymph node, smooth muscle and testis using Anti-SLMAP antibody NBP1-81398 (A) shows similar protein distribution across tissues to independent antibody NBP1-81397 (B).




Immunohistochemistry-Paraffin: SLMAP Antibody [NBP1-81398] - Staining of human testis.



Immunohistochemistry-Paraffin: SLMAP Antibody [NBP1-81398] - Staining of human lymph node.



Immunohistochemistry-Paraffin: SLMAP Antibody [NBP1-81398] - Staining of human liver using Anti-SLMAP antibody NBP1-81398.



#### **Publications**

Dias, AP;Rehmani, T;Applin, BD;Salih, M;Tuana, B; SLMAP3 is crucial for organogenesis through mechanisms involving primary cilia formation Open biology 2024-10-01 [PMID: 39417621]

Matthias Eden, Marius Leye, Justus Hahn, Emanuel Heilein, Marcin Luzarowski, Bill Völschow, Christin Tannert, Samuel Sossalla, Carlota Lucena-Porcel, Derk Frank, Norbert Frey Mst4, a novel cardiac STRIPAK complex—associated kinase, regulates cardiomyocyte growth and survival and is upregulated in human cardiomyopathy The Journal of Biological Chemistry 2024-04-03 [PMID: 38579991]





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP1-81398**

NBP1-81398PEP SLMAP Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-81398

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

