Product Datasheet

CDR2 Antibody - BSA Free NBP1-84561

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-84561

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-84561




NBP1-84561

CDR2 Antibody - BSA Free	
0.1 ml	
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Polyclonal	
0.02% Sodium Azide	
IgG	
Immunogen affinity purified	
PBS (pH 7.2) and 40% Glycerol	
Novus Biologicals Rabbit CDR2 Antibody - BSA Free (NBP1-84561) is a polyclonal antibody validated for use in WB and ICC/IF. Anti-CDR2 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Rabbit	
1039	
CDR2	
Human	
Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (87%), Rat (85%). Reactivity reported in scientific literature (PMID: 23823982)	
This antibody was developed against Recombinant Protein corresponding to amino acids: ILSLTETIECLQTNIDHLQSQVEELKSSGQGRRSPGKCDQEKPAPSFACLKELY DLRQHFVYDHVFAEKITSLQGQPSPDEEENEHLKKTVTMLQAQLSLERQKRVT MEEEYGLVLKENSELE	
Western Blot, Immunocytochemistry/ Immunofluorescence	
Western Blot 0.04-0.4 ug/ml, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml	
Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use PFA/Triton X-100.	




Images


Western Blot: CDR2 Antibody [NBP1-84561] - Analysis using Anti-CDR2 antibody NBP1-84561 (A) shows similar pattern to independent antibody NBP1-84562 (B).



Immunocytochemistry/Immunofluorescence: CDR2 Antibody [NBP1-84561] - Immunofluorescent staining of human cell line A-431 shows localization to nucleoplasm.



Analysis in human cell line HepG2.



Publications

Schubert M, Panja D, Haugen M et al. Paraneoplastic CDR2 and CDR2L antibodies affect Purkinje cell calcium homeostasis. Acta Neuropathol 2014-12-01 [PMID: 25341622]

Eichler TW, Totland C, Haugen M et al. CDR2L Antibodies: A New Player in Paraneoplastic Cerebellar Degeneration. PLoS One 2013-01-01 [PMID: 23823982]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-84561

NBP1-84561PEP CDR2 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-84561

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

