

Product Datasheet

COX-1 Antibody - BSA Free

NBP1-85500

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-85500

Updated 4/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-85500



NBP1-85500

COX-1 Antibody - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol


Product Description	
Host	Rabbit
Gene ID	5742
Gene Symbol	PTGS1
Species	Human, Mouse
Reactivity Notes	Mouse reactivity reported from a verified customer review.
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: MPDSFKVGSQEYSYEQFLFNTSMLVDYGV EALVDAFSRQIAGRIGGGGRNMDH HILHVAVDVIRE SREMLQPFNEYRKRFGMKPYTSFQELVGEKEMAAELEELY GDIDALEFYPGLLLEKCHPNSIFGESMIEIGAPFSLKGLLGN

Product Application Details	
Applications	Western Blot, Simple Western, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Simple Western, Immunohistochemistry 1:50-1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50-1:200
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization, Use PFA/Triton X-100. COX-1 antibody validated for Simple Western from a verified customer review. See Simple Western Antibody Database for Simple Western validation: Tested in Mouse tail vein lysates, separated by Size, apparent MW was 70 kDa




Images


Immunohistochemistry-Paraffin: COX-1 Antibody [NBP1-85500] - Staining in human skin and skeletal muscle tissues using anti-PTGS1 antibody. Corresponding PTGS1 RNA-seq data are presented for the same tissues.




Western Blot: COX-1 Antibody [NBP1-85500] - Analysis in human cell line HELA.




COX-1-Antibody-Immunocytochemistry-Immunofluorescence-NBP1-85500-img0014.jpg




Immunocytochemistry/Immunofluorescence: COX-1 Antibody [NBP1-85500] - Staining of human cell line BJ shows localization to the Golgi apparatus. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: COX-1 Antibody [NBP1-85500] - Staining of human skeletal muscle shows low expression as expected.



Immunohistochemistry-Paraffin: COX-1 Antibody [NBP1-85500] - Staining of human skin shows high expression.



Simple Western: COX-1 Antibody [NBP1-85500] - Lane view shows one specific signal (~70kDa) in lysates prepared from the mouse tail vein. Image from a verified customer review.



Publications

Liu C, Tate T, Batourina E et al. Pparg promotes differentiation and regulates mitochondrial gene expression in bladder epithelial cells Nat Commun 2019-10-09 [PMID: 31597917] (IHC-P, Mouse)

Uram L, Filipowicz A, Misiorek M et al. Biotinylated PAMAM G3 dendrimer conjugated with celecoxib and/or Fmoc-L-Leucine and its cytotoxicity for normal and cancer human cell lines Eur J Pharm Sci 2018-08-15 [PMID: 30118847] (WB, Human)

Asplund A, Gry Bjorklund M, Sundquist C et al. Expression profiling of microdissected cell populations selected from basal cells in normal epidermis and basal cell carcinoma. Br J Dermatol 2008-03-01 [PMID: 18241271]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-85500

NBP1-85500PEP	COX-1 Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-85500

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

