Product Datasheet

TRAP alpha Antibody - BSA Free NBP1-86912

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-86912

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-86912



NBP1-86912


TRAP alpha Antibody - BSA Free

TRAP alpha Antibody - BSA Free	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	
Host	Rabbit
Gene ID	6745
Gene Symbol	SSR1
Species	Human, Mouse, Rat, C. elegans
Reactivity Notes	C. elegans reactivity reported in scientific literature (PMID: 31840061).
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: ESRKRKRPIQKVEMGTSSQNDVDMSWIPQETLNQINKASPRRLPRKRAQKRSV GSDE
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:500 - 1:1000,

Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:500 - 1:1000, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:500-1:1000 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.


Images

Immunohistochemistry-Paraffin: TRAP alpha Antibody [NBP1-86912] - Staining of human cerebral cortex, liver, lymph node and pancreas using Anti-SSR1 antibody NBP1-86912 (A) shows similar protein distribution across tissues to independent antibody NBP1-87815 (B).







Western Blot: TRAP alpha Antibody [NBP1-86912] - Analysis using Anti-SSR1 antibody NBP1-86912 (A) shows similar pattern to independent antibody NBP1-87815 (B).




Immunocytochemistry/Immunofluorescence: TRAP alpha Antibody [NBP1-86912] - Staining of human cell line U-251 MG shows localization to endoplasmic reticulum. Antibody staining is shown in green.




Western Blot: TRAP alpha Antibody [NBP1-86912] - Analysis in mouse cell line NIH-3T3 and rat cell line NBT-II.




Immunohistochemistry-Paraffin: TRAP alpha Antibody [NBP1-86912] - Staining of human cerebral cortex shows moderate granular cytoplasmic positivity in neurons.




Immunohistochemistry-Paraffin: TRAP alpha Antibody [NBP1-86912] - Staining of human liver shows moderate granular cytoplasmic positivity in hepatocytes.



Immunohistochemistry-Paraffin: TRAP alpha Antibody [NBP1-86912] - Staining of human lymph node shows strong cytoplasmic positivity in non-germinal center cells.



Immunohistochemistry-Paraffin: TRAP alpha Antibody [NBP1-86912] - Staining of human pancreas shows strong cytoplasmic positivity in exocrine glandular cells.



Publications

Tarab-Ravski D, Hazan-Halevy I, Goldsmith M et al. Delivery of Therapeutic RNA to the Bone Marrow in Multiple Myeloma Using CD38-Targeted Lipid Nanoparticles Advanced science (Weinheim, Baden-Wurttemberg, Germany) 2023-05-12 [PMID: 37171801] (Immunohistochemistry, Mouse)

Li S, Lin Q, Shao X, et al. Requirement for translocon-associated protein (TRAP) alpha in insulin biogenesis Sci Adv 2019-12-01 [PMID: 31840061] (ICC/IF, C. elegans)

Taylor MS, Ruch TR, Hsiao PY et al. Architectural Organization of the Metabolic Regulatory Enzyme Ghrelin O-Acyltransferase. J Biol Chem 2013-11-08 [PMID: 24045953] (ICC/IF, Human)

Stadler C, Rexhepaj E, Singan VR et al. Immunofluorescence and fluorescent-protein tagging show high correlation for protein localization in mammalian cells. Nat Methods 2013-04-01 [PMID: 23435261]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-86912

NBP1-86912PEP TRAP alpha Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-86912

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

