

Product Datasheet

katanin-p80 Antibody - BSA Free NBP1-87413

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-87413

Updated 12/2/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-87413



NBP1-87413

katanin-p80 Antibody - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol


Product Description	
Description	Novus Biologicals Rabbit katanin-p80 Antibody - BSA Free (NBP1-87413) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-katanin-p80 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	10300
Gene Symbol	KATNB1
Species	Human
Reactivity Notes	Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (88%)
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: SPAMDVQFPVPNLEVLPRPPVASTPAPKAEPAIIPATRNEPIGLKASDFLPAVK IPQQAELVDEDAMSQIRKGHDTMCVVLTSRHKNLDTVRAVWTMGDIKTSVDSA VAINDLSVV

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:1000 - 1:2500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:1000 - 1:2500
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF, Fixation Permeabilization: Use PFA/Triton X-100.




Images


Immunocytochemistry/Immunofluorescence: katanin-p80 Antibody [NBP1-87413] - Katanin p60 and p80 expression in the mouse testis. Immunohistochemical localization of katanin p60 (right) and p80 (left) in the mouse seminiferous epithelium. Katanin subunits p60 (red), alpha-tubulin (green), nuclei (blue). Both katanin subunits were prominently localized to elongating spermatids (arrowheads). Katanin p60 was also visible in Sertoli cell nuclei (SC). The inset in each micrograph shows a control for the secondary antibody (primary antibody substituted with buffer). Image collected and cropped by CiteAb from the following publication (<https://dx.plos.org/10.1371/journal.pgen.1002698>), licensed under a CC-BY license.




Immunohistochemistry-Paraffin: katanin-p80 Antibody [NBP1-87413] - Staining in human testis and pancreas tissues using anti-KATNB1 antibody. Corresponding KATNB1 RNA-seq data are presented for the same tissues.




Immunocytochemistry/Immunofluorescence: katanin-p80 Antibody [NBP1-87413] - Staining of human cell line U-2 OS shows localization to plasma membrane, cytosol and microtubules.




Western Blot: katanin-p80 Antibody [NBP1-87413] - Lane 1: Marker [kDa] 250, 130, 95, 72, 55, 36, 28, 17, 10. Lane 2: Human cell line RT-4. Lane 3: Human cell line U-251MG sp



Immunohistochemistry-Paraffin: katanin-p80 Antibody [NBP1-87413] - Staining of human pancreas shows low expression as expected.



Immunohistochemistry-Paraffin: katanin-p80 Antibody [NBP1-87413] - Staining of human testis shows high expression.



Publications

O'Donnell L, Rhodes D, Smith SJ et al. An essential role for katanin p80 and microtubule severing in male gamete production. PLoS Genet 2012-01-01 [PMID: 22654669]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-87413

NBP1-87413PEP	katanin-p80 Recombinant Protein Antigen
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-87413

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

