Product Datasheet

Stanniocalcin 1/STC-1 Antibody - BSA Free NBP1-87816

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-87816

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-87816



NBP1-87816


Stanniocalcin 1/STC-1 Antibody - BSA Free

BSA Free	
0.1 ml	
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Polyclonal	
0.02% Sodium Azide	
IgG	
Immunogen affinity purified	
PBS (pH 7.2) and 40% Glycerol	
Product Description	
Novus Biologicals Rabbit Stanniocalcin 1/STC-1 Antibody - BSA Free (NBP1-87816) is a polyclonal antibody validated for use in IHC. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Rabbit	
6781	
STC1	
Human	
This antibody was developed against Recombinant Protein corresponding to amino acids: EQNDSVSPRKSRVAAQNSAEVVRCLNSALQVGCGAFACLENSTCDTDGMYDI CKSFLYSAAKFDTQGKAFVKESL	
Immunohistochemistry-Paraffin, Immunohistochemistry	
Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200	
For IHC-Paraffin, HIER pH 6 retrieval is recommended.	




Images


Immunohistochemistry-Paraffin: Stanniocalcin 1/STC-1 Antibody [NBP1-87816] - Staining of human thyroid gland shows moderate cytoplasmic positivity in glandular cells.




Immunohistochemistry-Paraffin: Stanniocalcin 1/STC-1 Antibody [NBP1-87816] - Staining of human kidney shows weak to moderate cytoplasmic positivity in cells in tubules.



Immunohistochemistry-Paraffin: Stanniocalcin 1/STC-1 Antibody [NBP1-87816] - Staining of human placenta shows weak to moderate cytoplasmic positivity in trophoblastic cells.



Immunohistochemistry-Paraffin: Stanniocalcin 1/STC-1 Antibody [NBP1-87816] - Staining of human skeletal muscle shows no cytoplasmic positivity in myocytes as expected.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-87816

NBP1-87816PEP Stanniocalcin 1/STC-1 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-87816

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

