# **Product Datasheet**

# Synaptojanin 1 Antibody - BSA Free NBP1-87842

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 8** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-87842

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-87842



## NBP1-87842


Synaptojanin 1 Antibody - BSA Free

Synaptojanin 1 Antibody - BSA Free	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	
Description	Novus Biologicals Rabbit Synaptojanin 1 Antibody - BSA Free (NBP1-87842) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-Synaptojanin 1 Antibody: Cited in 8 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	8867
Gene Symbol	SYNJ1
Species	Human, Mouse
Reactivity Notes	Use in Mouse reported in scientific literature (PMID:32356558).
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: ASFGEVILIRFVEDKMWVTFLEGSSALNVLSLNGKELLNRTITIALKSPDWIKNLE EEMSLEKISIALPSSTSSTLLGEDAEVAADFDMEGDVDDYSAEVEELLPQHLQP SSSSGLGTSPSSSPRTSPCQS
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Knockdown Validated
Recommended Dilutions	Western Blot Reported in scientific literature (PMID: 26372964), Immunohistochemistry 1:1000 - 1:2500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:1000 - 1:2500, Knockdown Validated
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.




#### **Images**


Western Blot: Synaptojanin 1 Antibody [NBP1-87842] - (A) The levels of synj1 protein in N2a cells after synj1 siRNA. Results are presented as % of levels in controls +/- SEM. (B) A representative example of western blot analysis. Image collected and cropped by CiteAb from the following publication (https://www.nature.com/articles/s41598-017-11654-7) licensed under a CC-BY license.



Immunohistochemistry-Paraffin: Synaptojanin 1 Antibody [NBP1-87842] - Analysis in human cerebral cortex and skeletal muscle tissues. Corresponding SYNJ1 RNA-seq data are presented for the same tissues.




Immunocytochemistry/Immunofluorescence: Synaptojanin 1 Antibody [NBP1-87842] - Staining of human cell line U-251 MG shows localization to nucleoplasm, cytosol and centrosome. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: Synaptojanin 1 Antibody [NBP1-87842] - Staining of human skeletal muscle shows no cytoplasmic positivity in myocytes as expected.




Immunohistochemistry-Paraffin: Synaptojanin 1 Antibody [NBP1-87842] Staining of human cerebellum shows moderate positivity in neuropil as well as in a subset of neurons.




Immunohistochemistry-Paraffin: Synaptojanin 1 Antibody [NBP1-87842] - Staining of human cerebral cortex shows positivity in neuropil as well as moderate to strong cytoplasmic positivity in neurons.



Immunohistochemistry-Paraffin: Synaptojanin 1 Antibody [NBP1-87842] - Staining of human rectum shows moderate cytoplasmic positivity in neurons in peripheral ganglia.




Reduction of pTau with synj1 knockdown in vitro. (A) The levels of pTau, Tau and synj1 protein in N2a cells after synj1 siRNA. Results are presented as % of levels in controls ± SEM. (B) A representative example of western blot analysis. (C) PIP2 levels. (D) Immunofluorescence staining of pTau (red) and Tau (green) with (E) quantification.



Western Blot: Synaptojanin 1 Antibody [NBP1-87842] - Reduction of pTau with synj1 knockdown in vitro. (A) The levels of pTau, Tau & synj1 protein in N2a cells after synj1 siRNA. Results are presented as % of levels in controls ± SEM. (B) A representative example of western blot analysis. (C) PIP2 levels. (D) Immunofluorescence staining of pTau (red) & Tau (green) with (E) quantification. Image collected & cropped by CiteAb from the following publication (https://pubmed.ncbi.nlm.nih.gov/28900205), licensed under a CC-BY

license. Not internally tested by Novus Biologicals.



#### **Publications**

Cao J, Huang M, Guo L, Zhu L et Al. MicroRNA-195 rescues ApoE4-induced cognitive deficits and lysosomal defects in Alzheimer's disease pathogenesis Mol Psychiatry 2020-07-08 [PMID: 32632205]

Toro CA, Hansen J, Siddiq MM et al. Synaptojanin 1 Modulates Functional Recovery After Incomplete Spinal Cord Injury in Male Apolipoprotein E Epsilon 4 Mice Neurotrauma reports 2023-07-27 [PMID: 37528868] (IHC-Fr, Mouse)

Pan PY, Zhu J, Rizvi A et al. Synaptojanin1 deficiency upregulates basal autophagosome formation in astrocytes The Journal of biological chemistry 2021-06-11 [PMID: 34126070] (WB, Mouse)

Pan PY, Sheehan P, Wang Q et al. Synj1 Haploinsufficiency Causes Dopamine Neuron Vulnerability and alpha-synuclein Accumulation in Mice Hum. Mol. Genet. 2020-04-30 [PMID: 32356558] (Mouse)

Kuechler ER, Budzynska PM, Bernardini JP et al. Distinct features of stress granule proteins predict localization in membraneless organelle J. Mol. Biol. 2020-02-24 [PMID: 32105731] (ICC/IF, Human)

Pan PY, Li X, Wang J et al. Parkinson's disease associated LRRK2 hyperactive kinase mutant disrupts synaptic vesicle trafficking in ventral midbrain neurons. J. Neurosci. 2017-10-20 [PMID: 29054882] (Mouse)

Cao J, Gaamouch FE, Meabon JS et al. ApoE4-associated phospholipid dysregulation contributes to development of Tau hyper-phosphorylation after traumatic brain injury Sci Rep 2017-09-12 [PMID: 28900205] (WB, Mouse)

Zhu L, Zhong M, Elder GA et al. Phospholipid dysregulation contributes to ApoE4-associated cognitive deficits in Alzheimer's disease pathogenesis. Proc. Natl. Acad. Sci. U.S.A. 2015-09-22 [PMID: 26372964] (WB, Mouse)





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP1-87842**

NB820-59179 Human Brain Cerebral Peduncles Whole Tissue Lysate (Adult Whole

Normal)

NBP1-87842PEP Synaptojanin 1 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-87842

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



