

Product Datasheet

KLC4 Antibody - BSA Free NBP1-88773

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-88773

Updated 12/2/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-88773



NBP1-88773

KLC4 Antibody - BSA Free


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description	
Description	Novus Biologicals Rabbit KLC4 Antibody - BSA Free (NBP1-88773) is a polyclonal antibody validated for use in IHC and WB. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	89953
Gene Symbol	KLC4
Species	Human
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: MEVTGFGVTRPGKVPQARMSGLVLGQRDEPAGHRLSQEEILGSTRLVSQGLE ALRSEHQAVLQSLSQTIIECLQQGGHEEGLVHEKARQLRRSMENIELGLS


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot 1:100-1:500, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50-1:200
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended.

Images


Western Blot: KLC4 Antibody [NBP1-88773] - Lane 1: Marker [kDa] 230, 130, 95, 72, 56, 36, 28, 17, 11. Lane 2: Human cell line RT-297




Immunohistochemistry-Paraffin: KLC4 Antibody [NBP1-88773] - Staining of human Small intestine shows strong cytoplasmic positivity in glandular cells.




Immunohistochemistry-Paraffin: KLC4 Antibody [NBP1-88773] - Staining of human duodenum shows high expression.




Immunohistochemistry-Paraffin: KLC4 Antibody [NBP1-88773] - Staining of human pancreas shows low expression as expected.




Immunohistochemistry-Paraffin: KLC4 Antibody [NBP1-88773] - Staining in human duodenum and pancreas tissues using anti-KLC4 antibody. Corresponding KLC4 RNA-seq data are presented for the same tissues.




Immunohistochemistry-Paraffin: KLC4 Antibody [NBP1-88773] - Staining of human adrenal gland, colon, kidney and testis using Anti-KLC4 antibody NBP1-88773 (A) shows similar protein distribution across tissues to independent antibody NBP1-88772 (B).




Immunohistochemistry-Paraffin: KLC4 Antibody [NBP1-88773] - Staining of human testis.




Immunohistochemistry-Paraffin: KLC4 Antibody [NBP1-88773] - Staining of human kidney.




Immunohistochemistry-Paraffin: KLC4 Antibody [NBP1-88773] - Staining of human colon.




Immunohistochemistry-Paraffin: KLC4 Antibody [NBP1-88773] - Staining of human adrenal gland.




Immunohistochemistry-Paraffin: KLC4 Antibody [NBP1-88773] - Analysis in human duodenum and tonsil tissues using NBP1-88773 antibody. Corresponding KLC4 RNA-seq data are presented for the same tissues.




Immunohistochemistry-Paraffin: KLC4 Antibody [NBP1-88773] - Staining of human Duodenum shows strong cytoplasmic positivity in glandular cells.




Immunohistochemistry-Paraffin: KLC4 Antibody [NBP1-88773] - Staining of human gastrointestinal, kidney, placenta and tonsil using Anti-KLC4 antibody NBP1-88773 (A) shows similar protein distribution across tissues to independent antibody NBP1-88772 (B).




Immunohistochemistry-Paraffin: KLC4 Antibody [NBP1-88773] - Staining of human Kidney shows moderate cytoplasmic positivity in cells in tubules.



Immunohistochemistry-Paraffin: KLC4 Antibody [NBP1-88773] - Staining of human Placenta shows strong cytoplasmic positivity in trophoblastic cells.



Immunohistochemistry-Paraffin: KLC4 Antibody [NBP1-88773] - Staining of human Tonsil shows very weak cytoplasmic positivity in non-germinal center cells.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-88773

NBP1-88773PEP	KLC4 Recombinant Protein Antigen
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-88773

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

