

Product Datasheet

ZEB1 Antibody - BSA Free NBP1-88845

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 23

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-88845

Updated 2/21/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-88845



NBP1-88845


ZEB1 Antibody - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	0.2 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Target Molecular Weight	124 kDa
Product Description	
Host	Rabbit
Gene ID	6935
Gene Symbol	ZEB1
Species	Human
Reactivity Notes	Please note that Mouse was reported in PMID:35021086 which used a previous lot that is no longer available. The current lot of this antibody is not validated for Mouse. Please contact technical services if you have any questions.
Marker	Mesenchymal Cells Marker
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: EAEKPESSVSSATGDGNLSPSQPPLKNLLSLLKAYYALNAQPSAEELSKIADSV NLPLDVVKKWFEKMQAGQISVQSSEPSSPEPGKVNIPAKNNDQPQSANANEP QDSTVNLQSPLKMTNSPVLPVGST
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation Sequencing
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:500 - 1:1000, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:500 - 1:1000, Chromatin Immunoprecipitation Sequencing Reported in scientific literature (PMID:35021086)
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.




Images


Immunohistochemistry-Paraffin: ZEB1 Antibody [NBP1-88845] - Analysis in human cerebral cortex and liver tissues. Corresponding ZEB1 RNA-seq data are presented for the same tissues.




Western Blot: ZEB1 Antibody [NBP1-88845] - Mesenchymal-high cancers exhibit enhanced sensitivity to ferroptosis inducers. Representative cell lines showing enhanced sensitivity to GPx4 inhibitor ML162 correlates to low levels of E-cadherin, an epithelial marker. H1975 and A549: lung cancer; KLE and Ishikawa: endometrial cancer. Antibodies against E-cadherin, ZEB1, vimentin, and MTDH were used to detect protein extracts from non-small-cell lung cancer H1975 and A549, and endometrial cancer cell lines KLE and Ishikawa. Beta-Actin was detected as a loading control. Image collected and cropped by CiteAb from the following publication (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6746770/>) licensed under a CC-BY license.




Immunocytochemistry/Immunofluorescence: ZEB1 Antibody [NBP1-88845] - Staining of human cell line U-2 OS shows localization to nucleoplasm. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: ZEB1 Antibody [NBP1-88845] - Staining of human prostate shows strong nuclear positivity in smooth muscle cells.




Immunohistochemistry-Paraffin: ZEB1 Antibody [NBP1-88845] - Immunohistochemical staining of human endometrium shows strong nuclear positivity in stromal cells.




Immunohistochemistry-Paraffin: ZEB1 Antibody [NBP1-88845] - Staining of human liver shows no nuclear positivity in hepatocytes as expected.



Immunohistochemistry-Paraffin: ZEB1 Antibody [NBP1-88845] - Staining of human cerebral cortex shows strong nuclear positivity in glial cells.



Immunohistochemistry-Paraffin: ZEB1 Antibody [NBP1-88845] - Staining of human glioma shows strong nuclear positivity in tumor cells.



Publications

- Han Y, Villarreal-Ponce A, Gutierrez G et al. Coordinate control of basal epithelial cell fate and stem cell maintenance by core EMT transcription factor Zeb1 *Cell reports* 2022-01-11 [PMID: 35021086] (IF/IHC, Chip Cytometry, Mouse)
- Feldker N, Ferrazzi F, Schuhwerk H et al. Genome-wide cooperation of EMT transcription factor ZEB1 with YAP and AP-1 in breast cancer *EMBO J.* 2020-07-21 [PMID: 32692442] (GS, Human)
- Bi J, Yang S, Li L et al. Metadherin enhances vulnerability of cancer cells to ferroptosis *Cell Death Dis* 2019-09-17 [PMID: 31527591] (WB, Human)
- Vanneste M, Huang Q, Li M et al. High content screening identifies monensin as an EMT-selective cytotoxic compound *Sci Rep* 2019-02-04 [PMID: 30718715] (WB, Human)
- Yao X, Sun S, Zhou X et al. Clinicopathological significance of ZEB-1 and E-cadherin proteins in patients with oral cavity squamous cell carcinoma *Onco Targets Ther* 2017-02-28 [PMID: 28243114] (IHC-P, Human)
- A Barbachano, A Fernandez-Barral, F Pereira et al. SPROUTY-2 represses the epithelial phenotype of colon carcinoma cells via upregulation of ZEB1 mediated by ETS1 and miR-200/miR-150. *Oncogene* 2015-10-12 [PMID: 26455323] (WB, Human)
- Asnaghi L, Gezgin G, Tripathy A et al. EMT-associated factors promote invasive properties of uveal melanoma cells. *Mol Vis* 2015-01-01 [PMID: 26321866] (WB, Human)
- Mock K, Preca BT, Brummer T et al. The EMT-activator ZEB1 induces bone metastasis associated genes including BMP-inhibitors. *Oncotarget* 2015-06-10 [PMID: 25973542] (WB, Human)
- Meidhof S, Brabletz S, Lehmann W et al. ZEB1-associated drug resistance in cancer cells is reversed by the class I HDAC inhibitor mocetinostat. *EMBO Mol Med* 2015-06-01 [PMID: 25872941] (IF/IHC, WB, ICC/IF, Human)
- Claudio Isella, Andrea Terrasi, Sara Erika Bellomo et al. Stromal contribution to the colorectal cancer transcriptome. *Nature Genetics* 2015-02-23 [PMID: 25706627] (IF/IHC, Human)
- Davidson B, Holth A, Hellesylt E et al. The clinical role of epithelial-mesenchymal transition and stem cell markers in advanced-stage ovarian serous carcinoma effusions. *Hum Pathol* 2015-01-01 [PMID: 25455994] (IF/IHC, Human)
- Ceppi P, Hadji A, Kohlhapp FJ et al. CD95 and CD95L promote and protect cancer stem cells. *Nat Commun* 2014-11-04 [PMID: 25366259] (ICC/IF, WB, Human)
- More publications at <http://www.novusbio.com/NBP1-88845>





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-88845

NBP1-88845PEP	ZEB1 Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-88845

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

