# **Product Datasheet**

## FUS Antibody - BSA Free NBP1-89113

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.





Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-89113

Updated 2/21/2025 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-89113




#### NBP1-89113

FUS Antibody - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	
Host	Rabbit
Gene ID	2521
Gene Symbol	FUS
Species	Human, Mouse, Rat
Reactivity Notes	Reactivity reported in scientific literature (PMID: 19669651)
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: SSQSSYGQQSSYPGYGQQPAPSSTSGSYGSSSQSSSYGQPQSGSYSQQPS YGGQQQSYGQQQSYNPPQGYGQQNQYNSSSGGGGGGGGGGGGGNYGQDQSS MSSGGGSGGGYGNQDQSGGGGSGGYGQQDR
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 0.04 - 0.4 ug/ml, Immunohistochemistry 1:1000 - 1:2500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:1000-1:2500
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization, PFA/Triton X-100. FUS antibody validated for IHC-P from a verified customer review.

#### Images

Immunohistochemistry-Paraffin: FUS Antibody [NBP1-89113] - Staining in human endometrium and liver tissues . Corresponding FUS RNA-seq data are presented for the same tissues.



www.novusbio.com



Western Blot: FUS Antibody [NBP1-89113] - Analysis in U-251MG cells transfected with control siRNA, target specific siRNA probe #1 and #2, [kDa using anti-FUS antibody. Remaining relative intensity is presented. 250 Loading control: anti-GAPDH. 130 10 FUS 24 100% 22% 21% Loading Control Immunocytochemistry/Immunofluorescence: FUS Antibody [NBP1-89113] - Staining of human cell line U-251 MG shows localization to nucleoplasm. Antibody staining is shown in green. Western Blot: FUS Antibody [NBP1-89113] - Analysis in mouse cell line NIH-3T3 and rat cell line NBT-II. [kDa] 250 130 100 70 55 35 25 15 Immunohistochemistry-Paraffin: FUS Antibody [NBP1-89113] - Staining of human cerebellum shows strong nuclear positivity in neuronal cells.






Immunohistochemistry-Paraffin: FUS Antibody [NBP1-89113] - Staining of human colon shows strong nuclear positivity in glandular cells.

Immunohistochemistry-Paraffin: FUS Antibody [NBP1-89113] - Staining of human endometrium shows strong nuclear positivity in glandular cells and stromal cells.

Immunohistochemistry-Paraffin: FUS Antibody [NBP1-89113] - Staining of human liver shows moderate nuclear positivity in bile duct cells while hepatocytes are negative.

Immunohistochemistry-Paraffin: FUS Antibody [NBP1-89113] - Staining of human testis shows strong nuclear positivity in cells in seminiferous ducts.





#### **Publications**

Ziskin JL, Greicius MD, Zhu W et al. Neuropathologic analysis of Tyr69His TTR variant meningovascular amyloidosis with dementia. Acta Neuropathol Commun 2015-07-10 [PMID: 26156087] (IF/IHC, Human)

Barmada SJ, Ju S, Arjun A et al. Amelioration of toxicity in neuronal models of amyotrophic lateral sclerosis by hUPF1. Proc Natl Acad Sci U S A 2015-06-23 [PMID: 26056265] (IF/IHC, Rat)

Ayaki T, Ito H, Fukushima H et al. Immunoreactivity of valosin-containing protein in sporadic amyotrophic lateral sclerosis and in a case of its novel mutant. Acta Neuropathol Commun 2014-12-10 [PMID: 25492614] (IF/IHC, Human)

Sephton CF, Tang AA, Kulkarni A et al. Activity-dependent FUS dysregulation disrupts synaptic homeostasis. Proc Natl Acad Sci U S A 2014-11-04 [PMID: 25324524] (WB, IF/IHC, Mouse)

Nakamura M, Murray ME, Lin WL et al. Optineurin immunoreactivity in neuronal and glial intranuclear inclusions in adult-onset neuronal intranuclear inclusion disease. Am J Neurodegener Dis 2014-01-01 [PMID: 25232514] (IF/IHC, ICC/IF, Human)

Qiu H, Lee S, Shang Y et al. ALS-associated mutation FUS-R521C causes DNA damage and RNA splicing defects. J Clin Invest 2014-03-01 [PMID: 24509083]

Dobson-Stone C, Luty AA, Thompson EM et al. Frontotemporal dementia-amyotrophic lateral sclerosis syndrome locus on chromosome 16p12.1-q12.2: genetic, clinical and neuropathological analysis. Acta Neuropathol 2013-04-01 [PMID: 23338750]

Dormann D, Madl T, Valori CF et al. Arginine methylation next to the PY-NLS modulates Transportin binding and nuclear import of FUS. EMBO J 2012-11-14 [PMID: 22968170] (ICC/IF, IF/IHC)

Snowden JS, Rollinson S, Thompson JC et al. Distinct clinical and pathological characteristics of frontotemporal dementia associated with C9ORF72 mutations. Brain 2012-03-01 [PMID: 22300873]

Neumann M, Bentmann E, Dormann D et al. FET proteins TAF15 and EWS are selective markers that distinguish FTLD with FUS pathology from amyotrophic lateral sclerosis with FUS mutations. Brain 2011-09-01 [PMID: 21856723]

Lashley T, Rohrer JD, Bandopadhyay R et al. A comparative clinical, pathological, biochemical and genetic study of fused in sarcoma proteinopathies. Brain 2011-09-01 [PMID: 21752791]

Pikkarainen M, Hartikainen P, Soininen H, Alafuzoff I. Distribution and Pattern of Pathology in Subjects with Familial or Sporadic Late-Onset Cerebellar Ataxia as Assessed by p62/Sequestosome Immunohistochemistry. Cerebellum. 2011-05-05 [PMID: 21544590]

More publications at http://www.novusbio.com/NBP1-89113







#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP1-89113

NBP1-89113PEP	FUS Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-89113

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

