# **Product Datasheet**

## BTK Antibody - BSA Free NBP1-89207

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-89207

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-89207



## NBP1-89207


BTK Antibody - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	
Host	Rabbit
Gene ID	695
Gene Symbol	ВТК
Species	Human, Rat
Reactivity Notes	Rat reactivity reported in scientific literature (PMID: 30747048).
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: PAAAPVSTSELKKVVALYDYMPMNANDLQLRKGDEYFILEESNLPWWRARDK NGQEGYIPSNYVTEAEDSIEMYEWYSKHMTRSQAEQLLKQEGKEGGFIVRDSS KAGKYTVSVFAKSTGDPQGVIRHYVVCSTPQSQYYLAEKHL

<b>Product Application Details</b>	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 0.04 - 0.4 ug/ml, Immunohistochemistry 1:500 - 1:1000, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:500 - 1:1000
	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.


### **Images**

Immunohistochemistry-Paraffin: BTK Antibody [NBP1-89207] - Analysis in human tonsil and kidney tissues. Corresponding BTK RNA-seq data are presented for the same tissues.







Western Blot: BTK Antibody [NBP1-89207] - Analysis using Anti-BTK antibody NBP1-89207 (A) shows similar pattern to independent antibody NBP1-89206 (B).




Immunocytochemistry/Immunofluorescence: BTK Antibody [NBP1-89207] - Staining of human cell line U-251 MG shows localization to vesicles. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: BTK Antibody [NBP1-89207] - Staining of human lymph node shows strong membranous positivity in nongerminal center cells.




Immunohistochemistry-Paraffin: BTK Antibody [NBP1-89207] - Staining of human kidney shows no positivity in cells in tubules as expected.



Immunohistochemistry-Paraffin: BTK Antibody [NBP1-89207] - Staining of human liver shows no positivity in hepatocytes as expected.



Immunohistochemistry-Paraffin: BTK Antibody [NBP1-89207] - Staining of human tonsil shows strong membranous positivity in non-germinal center cells.



#### **Publications**

Yu CG, Bondada V, Ghoshal S et al. Repositioning Flubendazole for Spinal Cord Injury J. Neurotrauma 2019-02-12 [PMID: 30747048] (WB, Rat)





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP1-89207**

NBP1-89207PEP BTK Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-89207

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

