

Product Datasheet

transgelin 2 Antibody - BSA Free

NBP1-89722

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 6

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-89722

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-89722



NBP1-89722

transgelin 2 Antibody - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol


Product Description	
Description	Novus Biologicals Rabbit transgelin 2 Antibody - BSA Free (NBP1-89722) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-transgelin 2 Antibody: Cited in 5 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	8407
Gene Symbol	TAGLN2
Species	Human, Mouse, Rat
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: RGPAYGLSREVQQKIEKQYDADLEQILIQWITTQCRKDVGRPQPGRENFQNWL KDGTVLCELINALYPEGQAPVKKIQASTMAFKQMEQISQFLQAAERYGINTTDIF QTVDLWEGKNMACVQRTLMNLGGLA

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.



Images


Immunocytochemistry/Immunofluorescence: transgelin 2 Antibody [NBP1-89722] - Staining of human cell line U-2 OS shows localization to cytosol & actin filaments. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: transgelin 2 Antibody [NBP1-89722] - Staining of human tonsil shows moderate to strong positivity in germinal center cells.




Immunohistochemistry-Paraffin: transgelin 2 Antibody [NBP1-89722] - Staining of human placenta shows moderate to strong cytoplasmic positivity in trophoblastic cells.




Immunohistochemistry-Paraffin: transgelin 2 Antibody [NBP1-89722] - Staining of human lung shows moderate cytoplasmic positivity in macrophages.



Analysis in human cell line A-431.



Analysis in mouse cell line NIH-3T3 and rat cell line NBT-II.



Publications

Qiu X, Jiang M, Qu H et al. TAGLN2-mediated Actin Cytoskeleton Stabilization Promotes Proliferation and Metastasis of Ovarian Carcinoma *Applied Immunohistochemistry & Molecular Morphology* 2025-07-01 [PMID: 40247723]

Wang H, Zhang X, Liu C et al. TAGLN2-Regulated Trophoblast Migration, Invasion and Fusion are Impaired in Preeclampsia *Frontiers in Cell and Developmental Biology* 2022-02-23 [PMID: 35281112]

Liang X, Jin Y, Wang H et al. Transgelin 2 is required for embryo implantation by promoting actin polymerization *FASEB J.* 2019-01-31 [PMID: 30702937] (WB, Mouse)

Nohata N, Sone Y, Hanazawa T et al. miR-1 as a tumor suppressive microRNA targeting TAGLN2 in head and neck squamous cell carcinoma. *Oncotarget* 2011-01-01 [PMID: 21378409]

Stadler C, Hjelmare M, Neumann B et al. Systematic validation of antibody binding and protein subcellular localization using siRNA and confocal microscopy. *J Proteomics* 2012-04-03 [PMID: 22361696]

Yoshino H, Chiyomaru T, Enokida H et al. The tumour-suppressive function of miR-1 and miR-133a targeting TAGLN2 in bladder cancer. *Br J Cancer* 2011-03-01 [PMID: 21304530]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-89722

NBP1-89722PEP	transgelin 2 Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-89722

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

