

# Product Datasheet

## RMI2 Antibody - BSA Free NBP1-89962

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

### Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-89962](http://www.novusbio.com/NBP1-89962)

Updated 12/2/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-89962](http://www.novusbio.com/reviews/destination/NBP1-89962)



**NBP1-89962**

RMI2 Antibody - BSA Free


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description	
Description	Novus Biologicals Rabbit RMI2 Antibody - BSA Free (NBP1-89962) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-RMI2 Antibody: Cited in 4 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	116028
Gene Symbol	RMI2
Species	Human
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: GKYVMVMGVVQACSPEPCLQAVKMTDLSDNPIHESMWELEVEDLHRNI


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot Reactivity reported (PMID: 33500419), Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200
Application Notes	IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF, Fixation Permeabilization: Use PFA/Triton X-100.

**Images**


Immunocytochemistry/Immunofluorescence: RMI2 Antibody [NBP1-89962] - Staining of human cell line U-251 MG shows localization to nuclear speckles and cytosol. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: RMI2 Antibody [NBP1-89962] - Staining of human lymph node shows strong nuclear positivity in germinal-center and non-germinal center cells.




Immunohistochemistry-Paraffin: RMI2 Antibody [NBP1-89962] - Staining of human colon shows strong nuclear positivity in lymphoid cells and glandular cells.




Immunohistochemistry-Paraffin: RMI2 Antibody [NBP1-89962] - Staining of human testis shows moderate nuclear positivity in cells in seminiferous ducts.




Staining of human lymph node shows strong nuclear positivity in germinal-center and non-germinal center cells.



Staining of human skeletal muscle shows no nuclear positivity in myocytes as expected.



Staining of human lymph node shows strong nuclear positivity in germinal-center and non-germinal center cells.



## Publications

Gonzalez-Acosta D, Blanco-Romero E, Ubieto-Capella P et al. PrimPol-mediated repriming facilitates replication traverse of DNA interstrand crosslinks *The EMBO journal* 2021-06-15 [PMID: 34128550]

Andrew N. Blackford, Jadwiga Nieminuszczy, Rebekka A. Schwab, Yaron Galanty, Stephen P. Jackson, Wojciech Niedzwiedz TopBP1 Interacts with BLM to Maintain Genome Stability but Is Dispensable for Preventing BLM Degradation *Molecular Cell* 2015-03-19 [PMID: 25794620]

Shorrocks AK, Jones SE, Tsukada K, et al. The Bloom syndrome complex senses RPA-coated single-stranded DNA to restart stalled replication forks *Nature communications* 2021-01-26 [PMID: 33500419] (WB)

Wu W, Rokutanda N et al. HERC2 Facilitates BLM and WRN Helicase Complex Interaction with RPA to Suppress G-Quadruplex DNA. *Cancer Res* 2018-11-15 [PMID: 30279242] (WB, Human)



### Novus Biologicals USA

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### Bio-Techne Canada

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### Bio-Techne Ltd

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### General Contact Information

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### Products Related to NBP1-89962

---

NBP1-89962PEP	RMI2 Recombinant Protein Antigen
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

---

### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-89962](http://www.novusbio.com/reviews/submit/NBP1-89962)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

