Product Datasheet

Alix Antibody - BSA Free NBP1-90201

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.





Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-90201

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-90201




NBP1-90201

Alix Antibody - BSA Free

Product Information		
Unit Size	0.1 ml	
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Clonality	Polyclonal	
Preservative	0.02% Sodium Azide	
Isotype	IgG	
Purity	Immunogen affinity purified	
Buffer	PBS (pH 7.2) and 40% Glycerol	
Product Description		
Host	Rabbit	
Gene ID	10015	
Gene Symbol	PDCD6IP	
Species	Human	
Marker	Exosome Marker	
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: VPVSVQQSLAAYNQRKADLVNRSIAQMREATTLANGVLASLNLPAAIEDVSGDT VPQSILTKSRSVIEQGGIQTVDQLIKELPELLQRNREILDESLRLLDEEEATDND	
Product Application Details		
Applications	Western Blot, Simple Western, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Knockdown Validated	
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Simple Western 1:50, Immunohistochemistry 1:500 - 1:1000, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:500 - 1:1000, Knockdown Validated	
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.	

Images

Western Blot: Alix Antibody [NBP1-90201] - Analysis in U-138MG cells transfected with control siRNA, target specific siRNA probe #1 and #2, using Anti-PDCD6IP antibody. Remaining relative intensity is presented. Loading control: Anti-GAPDH.






Immunocytochemistry/Immunofluorescence: Alix Antibody [NBP1-90201] - Staining of human cell line U-2 OS shows localization to cytosol. Antibody staining is shown in green.	
Immunohistochemistry-Paraffin: Alix Antibody [NBP1-90201] - Staining of human fallopian tube shows strong cytoplasmic positivity in glandular cells.	
Immunohistochemistry-Paraffin: Alix Antibody [NBP1-90201] - Staining of human gastrointestinal shows moderate cytoplasmic positivity in glandular cells.	
Immunohistochemistry-Paraffin: Alix Antibody [NBP1-90201] - Staining of human testis shows moderate cytoplasmic positivity in cells in seminiferous ducts.	



Immunohistochemistry-Paraffin: Alix Antibody [NBP1-90201] - Staining of human kidney shows moderate cytoplasmic positivity in cells in tubules.



Publications

Krause, GJ;Kirchner, P;Stiller, B;Morozova, K;Diaz, A;Chen, KH;Krogan, NJ;Agullo-Pascual, E;Clement, CC;Lindenau, K;Swaney, DL;Dilipkumar, S;Bravo-Cordero, JJ;Santambrogio, L;Cuervo, AM; Molecular determinants of the crosstalk between endosomal microautophagy and chaperone-mediated autophagy Cell reports 2023-12-05 [PMID: 38060380]

Beckwith KS, Beckwith MS, Ullmann S et al. Plasma membrane damage causes NLRP3 activation and pyroptosis during Mycobacterium tuberculosis infection Nat Commun 2020-05-10 [PMID: 32385301]

Blommer J, Pitcher T, Mustapic M et al. Extracellular vesicle biomarkers for cognitive impairment in Parkinson's disease Brain : a journal of neurology 2022-07-14 [PMID: 35833836]

Busch DJ, Zhang y, Kumar A et al. Identification of RNA content of CHO-derived extracellular vesicles from a production process Journal of biotechnology 2022-03-12 [PMID: 35292346] (WB)

Aiello A, Giannessi F, Percario ZA et al. HIV-1 Nef Protein Affects Cytokine and Extracellular Vesicles Production in the GEN2.2 Plasmacytoid Dendritic Cell Line Viruses 2021-12-31 [PMID: 35062278] (WB, Human)

Nogueras-Ortiz, C J, Mahairaki, V Et al. Astrocyte- and Neuron-Derived Extracellular Vesicles from Alzheimer's Disease Patients Effect Complement-Mediated Neurotoxicity. Cells 2020-07-04 [PMID: 32635578] (WB, Human)

Yao PJ, Eren E, Goetzl EJ, Kapogiannis D Mitochondrial Electron Transport Chain Protein Abnormalities Detected in Plasma Extracellular Vesicles in Alzheimer's Disease Biomedicines 2021-10-31 [PMID: 34829816] (WB, Human)

Carlomagno C, Giannasi C, Niada S et al. Raman Fingerprint of Extracellular Vesicles and Conditioned Media for the Reproducibility Assessment of Cell-Free Therapeutics Frontiers in Bioengineering and Biotechnology 2021-04-13 [PMID: 33928071] (WB, Human)

Millan C, Prause L, Vallmajo-Martin Q et al. Extracellular Vesicles from 3D Engineered Microtissues Harbor Disease-Related Cargo Absent in EVs from 2D Cultures Advanced healthcare materials 2021-04-22 [PMID: 33890421]

Morris C, Durand S, Jalinot P Decreased expression of the translation factor eIF3e induces senescence in breast cancer cells via suppression of PARP1 and activation of mTORC1 Oncotarget 2021-03-30 [PMID: 33868586] (WB, Human)

Mansur RB, Delgado-Peraza F, Subramaniapillai M et al. Exploring brain insulin resistance in adults with bipolar depression using extracellular vesicles of neuronal origin Journal of psychiatric research 2020-12-04 [PMID: 33316649] (WB, Human)

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-90201

NBP1-90201PEP	Alix Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-90201

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

