

Product Datasheet

Collagen XVII Antibody - BSA Free NBP1-91800

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2


Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-91800

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-91800



NBP1-91800

Collagen XVII Antibody - BSA Free

Product Information

Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description


Description	Novus Biologicals Rabbit Collagen XVII Antibody - BSA Free (NBP1-91800) is a polyclonal antibody validated for use in IHC and WB. Anti-Collagen XVII Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	1308
Gene Symbol	COL17A1
Species	Human
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: DGTEVTERIVTETVTTRLTSLPPKGGTSNGYAKTASLGGGSRLEKQSLTHGSS GYINSTGSTRGHASTSSYRRAHSPASTLPNSPGSTFERKTHVTR

Product Application Details


Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:500 - 1:1000, Immunohistochemistry-Paraffin 1:500-1:1000
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended.

Images


Immunohistochemistry-Paraffin: Collagen XVII Antibody [NBP1-91800] - Analysis in human skin and liver tissues. Corresponding COL17A1 RNA-seq data are represented for the same tissues.




Western Blot: Collagen XVII Antibody [NBP1-91800] - Analysis in human cell lines A-431 and MCF-7 using anti-COL17A1 antibody. Corresponding COL17A1 RNA-seq data are presented for the same cell lines. Loading control: anti-GAPDH.




Immunohistochemistry-Paraffin: Collagen XVII Antibody [NBP1-91800] - Staining of human pancreas shows no positivity in exocrine glandular cells as expected.




Immunohistochemistry-Paraffin: Collagen XVII Antibody [NBP1-91800] - Staining of human skin shows moderate membranous positivity in basal layer of epidermal cells.




Immunohistochemistry-Paraffin: Collagen XVII Antibody [NBP1-91800] - Staining of human liver shows no positivity in hepatocytes as expected.




Immunohistochemistry-Paraffin: Collagen XVII Antibody [NBP1-91800] - Staining of human endometrium shows no positivity in glandular cells as expected.




Staining of human skin shows moderate membranous positivity in basal layer of epidermal cells.




Staining of human endometrium shows no positivity in glandular cells as expected.




Staining of human pancreas shows no positivity in exocrine glandular cells as expected.




Analysis in human skin and liver tissues using NBP1-91800 antibody. Corresponding COL17A1 RNA-seq data are presented for the same tissues.



Analysis in human cell lines A-431 and MCF-7 using Anti-COL17A1 antibody. Corresponding COL17A1 RNA-seq data are presented for the same cell lines. Loading control: Anti-GAPDH.



Staining of human liver shows no positivity in hepatocytes as expected.



Publications

Vahidnezhad H, Youssefian L, Saeidian AH et al. Kindler epidermolysis bullosa-like skin phenotype and downregulated basement membrane zone gene expression in poikiloderma with neutropenia and a homozygous USB1 mutation Matrix biology : journal of the International Society for Matrix Biology 2021-05-15 [PMID: 34004352]

Laval S, Laklai H, Fanjul M et al. Dual roles of hemidesmosomal proteins in the pancreatic epithelium: the phosphoinositide 3-kinase decides. Oncogene 2014-04-10 [PMID: 23624916]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-91800

NBP1-91800PEP	Collagen XVII Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-91800

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

