Product Datasheet

Morg1 Antibody - BSA Free NBP1-92133

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-92133

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-92133



NBP1-92133


Morg1 Antibody - BSA Free

0.1 ml Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
contact technical services.
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Polyclonal
0.02% Sodium Azide
gG
mmunogen affinity purified
PBS (pH 7.2) and 40% Glycerol
Rabbit
4292
VDR83
luman
This antibody was developed against Recombinant Protein corresponding to amino acids: CLSERDTHVVSCSEDGKVFFWDLVEGALALALPVGSGVVQSLAYHPTEPCLLT AMGGSVQCWREEAYEAEDGAG
Vestern Blot, Immunocytochemistry/ Immunofluorescence, mmunohistochemistry, Immunohistochemistry-Paraffin
Vestern Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:500 - 1:1000, mmunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, mmunohistochemistry-Paraffin 1:500 - 1:1000
For IHC-Paraffin, HIER pH 6 retrieval is recommended. mmunocytochemistry/Immunofluorescence Fixation Permeabilization: Use PFA/Triton X-100.




Images


Western Blot: Morg1 Antibody [NBP1-92133] - Analysis in control (vector only transfected HEK293T lysate) and WDR83 over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (3.1 kDa) in mammalian HEK293T cells).




Immunocytochemistry/Immunofluorescence: Morg1 Antibody [NBP1-92133] - Immunofluorescent staining of human cell line U-2 OS shows localization to vesicles.



Immunohistochemistry-Paraffin: Morg1 Antibody [NBP1-92133] - Staining of human heart muscle shows cytoplasmic positivity in myocytes.



Immunohistochemistry-Paraffin: Morg1 Antibody [NBP1-92133] - Staining of human liver shows moderate cytoplasmic positivity in hepatocytes.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-92133

NBP1-92133PEP Morg1 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-92133

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

