# **Product Datasheet**

# Tau tubulin kinase 2 Antibody - BSA Free NBP1-92476

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 3** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-92476

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-92476




# NBP1-92476

Tau tubulin kinase 2 Antibody - BSA Free	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	
Description	Novus Biologicals Rabbit Tau tubulin kinase 2 Antibody - BSA Free (NBP1-92476) is a polyclonal antibody validated for use in IHC, WB, ICC/IF and IP. Anti-Tau tubulin kinase 2 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	146057
Gene Symbol	TTBK2
Species	Human, Mouse
Reactivity Notes	Human reactivity reported in scientific literature (PMID: 24982133). Mouse reactivity reported in scientific literature (PMID: 25599390).
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: TTEPLDVTKTQTFSVVPNQDKNNEIMKLLTVGTSEISSRDIDPHVEGQIGQVAE MQKNKISKDDDIMSEDLPGHQGDLSTFLHQEGKREKITPRNGELFHCVS
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunoprecipitation
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:500 - 1:1000, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunoprecipitation, Immunohistochemistry-Paraffin 1:500 - 1:1000
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF, IP reactivity reported in (PMID : 24982133).




#### **Images**


Western Blot: Tau tubulin kinase 2 Antibody [NBP1-92476] - Analysis in control (vector only transfected HEK293T lysate) and TTBK2 over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (3.1 kDa) in mammalian HEK293T cells).




Immunohistochemistry-Paraffin: Tau tubulin kinase 2 Antibody [NBP1-92476] - Staining of human Fallopian tube shows strong positivity in cilia in glandular cells.




Immunohistochemistry-Paraffin: Tau tubulin kinase 2 Antibody [NBP1-92476] - Staining of human prostate shows moderate cytoplasmic positivity in smooth muscle cells.




Immunohistochemistry-Paraffin: Tau tubulin kinase 2 Antibody [NBP1-92476] - Staining of human skeletal muscle shows very weak positivity in myocytes.



Staining of human testis shows weak to moderate cytoplasmic positivity in cells in seminiferous ducts.



Analysis in control (vector only transfected HEK293T lysate) and TTBK2 over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells).



#### **Publications**

Chang T, Wu H, Zhang X et al. TTBK2 affects sperm quality by regulating the expression of centrosomal proteins and flagellar transporters during spermiogenesis in mice. Molecular human reproduction 2025-06-23 [PMID: 40581359]

.Bangs FK, Schrode N, Hadjantonakis AK, Anderson KV. Lineage specificity of primary cilia in the mouse embryo. Nat Cell Biol 2015-02-01 [PMID: 25599390] (ICC/IF, Mouse)

Cajanek L, Nigg EA. Cep164 triggers ciliogenesis by recruiting Tau tubulin kinase 2 to the mother centriole. Proc Natl Acad Sci U S A 2014-07-15 [PMID: 24982133] (ICC/IF, IP, Human)





## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP1-92476**

NBP1-92476PEP Tau tubulin kinase 2 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-92476

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

