# **Product Datasheet**

# USF2 Antibody - BSA Free NBP1-92647

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-92647

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-92647



## NBP1-92647


USF2 Antibody - BSA Free

USF2 Antibody - BSA Free	
100 ul	
1.0 mg/ml	
Store at 4C. Do not freeze.	
Polyclonal	
0.09% Sodium Azide	
IgG	
Immunogen affinity purified	
Tris-Citrate/Phosphate (pH 7.0 - 8.0)	
Rabbit	
7392	
USF2	
Human, Mouse	
The immunogen this antibody was made to, maps to a region between residue 150 and 200 of human Upstream Transcription Factor 2 using the numbering given in entry NP_003358.1 (GeneID 7392).	
Western Blot, Immunohistochemistry, Immunoprecipitation	
Western Blot 1:1000-1:5000, Immunohistochemistry, Immunoprecipitation 2-10 ug/mg	




### **Images**


Immunohistochemistry: USF2 Antibody [NBP1-92647] - Sample: FFPE section of mouse renal cell carcinoma. Antibody: Affinity purified rabbit anti- USF2 used at a dilution of 1:1,000 (1ug/ml). Detection: DAB. Counterstain: Hematoxylin (blue).



Immunohistochemistry: USF2 Antibody [NBP1-92647] - Samples: FFPE serial sections of human prostate carcinoma. Antibody: Affinity purified rabbit anti- USF2 used at a dilution of 1:1,000 (1ug/ml). Detection: DAB. Counterstain: Hematoxylin (blue).



Immunoprecipitation: USF2 Antibody [NBP1-92647] - Samples: Whole cell lysate from HeLa (15 and 50 ug for WB; 1 mg for IP, 20% of IP loaded), 293T (T; 50 ug) and Jurkat (J; 50 ug) cells. Antibodies: Affinity purified rabbit anti-USF2 antibody NBP1-92647 used for WB at 0.4 ug/ml (A) and 1 ug/ml (B) and used for IP at 6 ug/mg lysate. USF2 was also immunoprecipitated by rabbit anti-USF2 antibodies NBP1-92649 and NBP1-92650, which recognize other epitopes. Detection: Chemiluminescence with exposure times of 30 seconds (A) and 10 seconds (B).





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP1-92647**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00007392-Q01-10ug Recombinant Human USF2 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-92647

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

