Product Datasheet

Vimentin Antibody (2D1) [Alexa Fluor® 532] NBP1-92687AF532

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-92687AF532

Updated 7/11/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-92687AF532



NBP1-92687AF532

Vimentin Antibody (2D1) [Alexa Fluor® 532]

be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Mesenchymal Cells Marker	vimentin Antibody (2D1) [Alexa Fluor® 532]		
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone 2D1 Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate Alexa Fluor 532 Purity Protein G purified Buffer 50mM Sodium Borate Target Molecular Weight 53.6 kDa Product Description Host Mouse Gene ID 7431 Gene Symbol VIM Species Human, Rat, Mouse (Negative) Reactivity Notes Clones 2D1 (NBP1-92687) and 2A52 (NBP1-92688) both failed to detect the target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is totally conserved between human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the petitide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Immunogen Full length recombinant human Vimentin Antibody expressed in and purified from			
services. Storage Store at 4C in the dark. Clonality Monoclonal Clone 2D1 Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate Alexa Fluor 532 Purity Protein G purified Buffer 50mM Sodium Borate Target Molecular Weight 53.6 kDa Product Description Host Mouse Gene ID 7431 Gene Symbol VIM Species Human, Rat, Mouse (Negative) Reactivity Notes Clones 2D1 (NBP1-92687) and 2A52 (NBP1-92688) both failed to detect the target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPRES LNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Mesenchymal Cells Marker Immunogen	Unit Size	0.1 ml	
Clone 2D1 Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate Alexa Fluor 532 Purity Protein G purified Buffer 50mM Sodium Borate Target Molecular Weight 53.6 kDa Product Description Host Mouse Gene ID 7431 Gene Symbol VIM Species Human, Rat, Mouse (Negative) Reactivity Notes Clones 2D1 (NBP1-92687) and 2A52 (NBP1-92688) both failed to detect the target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is totally conserved between human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Mesenchymal Cells Marker Immunogen	Concentration	· ·	
Clone 2D1 Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate Alexa Fluor 532 Purity Protein G purified Buffer 50mM Sodium Borate Target Molecular Weight 53.6 kDa Product Description Host Mouse Gene ID 7431 Gene Symbol VIM Species Human, Rat, Mouse (Negative) Reactivity Notes Clones 2D1 (NBP1-92687) and 2A52 (NBP1-92688) both failed to detect the target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is totally conserved between human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Mesenchymal Cells Marker Immunogen	Storage	Store at 4C in the dark.	
Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate Alexa Fluor 532 Purity Protein G purified Buffer 50mM Sodium Borate Target Molecular Weight 53.6 kDa Product Description Host Mouse Gene ID 7431 Gene Symbol VIM Species Human, Rat, Mouse (Negative) Reactivity Notes Clones 2D1 (NBP1-92687) and 2A52 (NBP1-92688) both failed to detect the target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is totally conserved between human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Mesenchymal Cells Marker Immunogen Full length recombinant human Vimentin Antibody expressed in and purified from	Clonality	Monoclonal	
Isotype	Clone	2D1	
Conjugate Alexa Fluor 532 Purity Protein G purified Buffer 50mM Sodium Borate Target Molecular Weight 53.6 kDa Product Description Host Mouse Gene ID 7431 Gene Symbol VIM Species Human, Rat, Mouse (Negative) Reactivity Notes Clones 2D1 (NBP1-92687) and 2A52 (NBP1-92688) both failed to detect the target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is totally conserved between human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Mesenchymal Cells Marker Immunogen Full length recombinant human Vimentin Antibody expressed in and purified from	Preservative	0.05% Sodium Azide	
Purity Protein G purified Buffer 50mM Sodium Borate Target Molecular Weight 53.6 kDa Product Description Host Mouse Gene ID 7431 Gene Symbol VIM Species Human, Rat, Mouse (Negative) Clones 2D1 (NBP1-92687) and 2A52 (NBP1-92688) both failed to detect the target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is totally conserved between human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Mesenchymal Cells Marker Immunogen Full length recombinant human Vimentin Antibody expressed in and purified from	Isotype	IgG2a	
Buffer 50mM Sodium Borate Target Molecular Weight 53.6 kDa Product Description Host Mouse Gene ID 7431 Gene Symbol VIM Species Human, Rat, Mouse (Negative) Reactivity Notes Clones 2D1 (NBP1-92687) and 2A52 (NBP1-92688) both failed to detect the target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is totally conserved between human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Mesenchymal Cells Marker Immunogen Full length recombinant human Vimentin Antibody expressed in and purified from	Conjugate	Alexa Fluor 532	
Target Molecular Weight 53.6 kDa Product Description Host Mouse Gene ID 7431 Gene Symbol VIM Species Reactivity Notes Clones 2D1 (NBP1-92687) and 2A52 (NBP1-92688) both failed to detect the target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is totally conserved between human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Mesenchymal Cells Marker Immunogen Full length recombinant human Vimentin Antibody expressed in and purified from	Purity	Protein G purified	
Product Description Host Mouse Gene ID 7431 Gene Symbol VIM Species Human, Rat, Mouse (Negative) Reactivity Notes Clones 2D1 (NBP1-92687) and 2A52 (NBP1-92688) both failed to detect the target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is totally conserved between human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Mesenchymal Cells Marker Immunogen Full length recombinant human Vimentin Antibody expressed in and purified from	Buffer	50mM Sodium Borate	
Host Gene ID 7431 Gene Symbol VIM Species Human, Rat, Mouse (Negative) Clones 2D1 (NBP1-92687) and 2A52 (NBP1-92688) both failed to detect the target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is located at the beginning of when one ammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Mesenchymal Cells Marker Immunogen Full length recombinant human Vimentin Antibody expressed in and purified from	Target Molecular Weight	53.6 kDa	
Gene Symbol VIM Species Human, Rat, Mouse (Negative) Clones 2D1 (NBP1-92687) and 2A52 (NBP1-92688) both failed to detect the target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is totally conserved between human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Mesenchymal Cells Marker Immunogen Full length recombinant human Vimentin Antibody expressed in and purified from	Product Description		
Gene Symbol VIM Species Human, Rat, Mouse (Negative) Clones 2D1 (NBP1-92687) and 2A52 (NBP1-92688) both failed to detect the target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is totally conserved between human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Mesenchymal Cells Marker Full length recombinant human Vimentin Antibody expressed in and purified from	Host	Mouse	
Species Human, Rat, Mouse (Negative) Clones 2D1 (NBP1-92687) and 2A52 (NBP1-92688) both failed to detect the target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is totally conserved between human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Mesenchymal Cells Marker Immunogen Full length recombinant human Vimentin Antibody expressed in and purified from	Gene ID	7431	
Clones 2D1 (NBP1-92687) and 2A52 (NBP1-92688) both failed to detect the target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is totally conserved between human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Mesenchymal Cells Marker Immunogen Full length recombinant human Vimentin Antibody expressed in and purified from	Gene Symbol	VIM	
target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is totally conserved between human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide. Marker Mesenchymal Cells Marker Immunogen Full length recombinant human Vimentin Antibody expressed in and purified from	Species	Human, Rat, Mouse (Negative)	
Immunogen Full length recombinant human Vimentin Antibody expressed in and purified from	Reactivity Notes	target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is totally conserved between human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work	
	Marker	Mesenchymal Cells Marker	
	Immunogen	Full length recombinant human Vimentin Antibody expressed in and purified from E. coli. [UniProt# P08670]	



	Page 2 of 3 v.20.1 Updated 7/11/2023
Notes	
	Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.

Product Application Details	
Applications	Western Blot, Simple Western, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Knockout Validated
Recommended Dilutions	Western Blot, Simple Western, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, Knockout Validated
Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-92687AF532

NBP2-35139-100ug Recombinant Human Vimentin Protein

2105-VI-100 Vimentin [Unconjugated]

NB300-141 GFAP Antibody

AF748 E-Cadherin Antibody [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-92687AF532

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

