# **Product Datasheet**

## Vimentin Antibody (2D1) [Janelia Fluor® 585] NBP1-92687JF585

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-92687JF585

Updated 12/12/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-92687JF585



## NBP1-92687JF585

Vimentin Antibody (2D1) [Janelia Fluor® 585]

Vimentin Antibody (2D1) [Jane	lia Fluor® 585]
Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark.
Clonality	Monoclonal
Clone	2D1
Preservative	0.05% Sodium Azide
Isotype	IgG2a
Conjugate	Janelia Fluor 585
Purity	Protein G purified
Buffer	50mM Sodium Borate
<b>Product Description</b>	
Host	Mouse
Gene ID	7431
Gene Symbol	VIM
Species	Human, Rat, Mouse (Negative)
Reactivity Notes	Clones 2D1 (NBP1-92687) and 2A52 (NBP1-92688) both failed to detect the target in mouse tissues although they work well on human and rat samples. This allowed us to firmly map the epitope for both antibodies to the peptide SRISLPLPNFSSLNREL, amino acids 409-425 of the human sequence. This peptide is located at the beginning of the non-helical "tail" region of the molecule and the peptide is totally conserved between human and rat and in most mammalian species, including cow, pig, horse, camel, and many monkeys. Interestingly mouse has the peptide SRISLPLPTFSSLNREL divergent by one amino acid, and neither clones bind this peptide. As a result these antibodies can be used to identify human or rat cells in mouse cultures or tissues and may work with other species that also contain this peptide.
Marker	Mesenchymal Cells Marker
Immunogen	Full length recombinant human Vimentin Antibody expressed in and purified from E. coli. [UniProt# P08670]
Notes	Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus.
<b>Product Application Details</b>	
Applications	Western Blot, Simple Western, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Knockout Validated
Recommended Dilutions	Western Blot, Simple Western, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, Knockout Validated
Application Notes	Optimal dilution of this antibody should be experimentally determined.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-92687JF585

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

