# **Product Datasheet**

# GAP-43 Antibody NBP1-92714

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 4** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-92714

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-92714



## NBP1-92714


GAP-43 Antibody

O/II 45 / IIIIbody	
Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.035% Sodium Azide
Isotype	lgY
Purity	IgY purified
Buffer	Supplied as concentrated total IgY preparation from egg yolk. Exact concentration of target specific IgY is not quantifiable as the preparation contains both immune IgY specific for the target and also irrelevant, non-immune IgY.
Target Molecular Weight	43 kDa
Product Description	
Host	Chicken
Gene ID	2596
Gene Symbol	GAP43
Species	Human, Mouse, Rat, Porcine, Bovine, Chicken, Equine
Marker	Neuronal Marker
Immunogen	C-terminal peptide of rodent GAP43, KEDPEADQEHA coupled to KLH.
Notes	Chicken products cannot be exported to Canada.
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:100-1:5000, Immunohistochemistry 1:500-1:1000, Immunocytochemistry/ Immunofluorescence 1:500-1:1000
Application Notes	This GAP43 antibody is useful for Immunocytochemistry/Immunofluorescence and Western blot, where a band can be seen at approximately 43 kDa.
i e e e e e e e e e e e e e e e e e e e	




### **Images**

Western Blot: GAP-43 Antibody [NBP1-92714] - Western blot analysis of different tissue and cell lysates using chicken pAb to GAP43, NBP1-92714, dilution 1:5,000 in green: [1] protein standard (red), [2] rat brain, [3] rat spinal cord, [4] mouse brain, [5] mouse spinal cord, [6] C6 cells, [7] SH-SY5Y cells. Single band at the 43kDa mark corresponds to GAP43. The GAP43 protein only is detected in the lysates of neuronal origin. C6 cells are a rat glioma cell line and do not express GAP43.



Immunocytochemistry/Immunofluorescence: GAP-43 Antibody [NBP1-92714] - Immunofluorescent analysis of cortical neuron-glial cell culture from E20 rat stained with chicken pAb to GAP43, NBP1-92714, dilution 1:2,000 in green, and costained with rabbit pAb to alpha-II spectrin, dilution 1:1,000 in red. The blue is DAPI staining of nuclear DNA. GAP43 antibody labels protein expressed in the axonal membrane and synapses of neuronal cells, while the spectrin antibody stains the submembraneous cytoskeleton of axons and dendrites.



#### **Publications**

Staszkiewicz R, Gralewski M, G?adysz D et al. Evaluation of the concentration of growth associated protein-43 and glial cell-derived neurotrophic factor in degenerated intervertebral discs of the lumbosacral region of the spine Molecular pain 2023-02-03 [PMID: 36733259] (IHC-Fr, Human)

Powers RM, Daza R, Koehler AE et al. Growth cone macropinocytosis of neurotrophin receptor and neuritogenesis are regulated by neuron navigator 1 Molecular biology of the cell 2022-06-01 [PMID: 35352947] (ICC/IF, Human)

Details:

Dilution used for ICC 1:250

Mo J, Anastasaki C, Chen Z et al. Humanized neurofibroma model from induced pluripotent stem cells delineates tumor pathogenesis and developmental origins J Clin Invest 2020-10-27 [PMID: 33108355]

Itoyama T, Yoshida S, Tomokiyo A et al. Possible function of GDNF and Schwann cells in wound healing of periodontal tissue J. Periodont. Res. 2020-06-20 [PMID: 32562261]





## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP1-92714**

BAF010 Goat anti-Chicken IgY Secondary Antibody [Biotin]

NB7276 Goat anti-Chicken IgM Heavy Chain Secondary Antibody

NBP2-53033-20ug Recombinant Human GAP-43 His Protein

DBD00 BDNF [HRP]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-92714

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

