## **Product Datasheet**

### Mouse IgM Isotype Control NBP1-97007

Unit Size: 1 mg

Store at 4C short term. For extended storage, add an equal volume of glycerol, aliquot and store at -20C or below. Avoid repeated freeze-thaw cycles.

www.novusbio.com technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-97007

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-97007



#### NBP1-97007

Mouse IgM Isotype Control

| 1 mg  |
|---|
| Please contact technical services for concentration.  |
| Store at 4C short term. For extended storage, add an equal volume of glycerol, aliquot and store at -20C or below. Avoid repeated freeze-thaw cycles.   |
| 0.1% Sodium Azide   |
| IgM   |
| Multi-step  |
| 0.1 M Tris Chloride, 0.5 M Sodium Chloride, pH 8.0  |
|   |
| This product was prepared from normal serum by a multi-step process which<br>includes delipidation, selective precipitation and tandem molecular sieve<br>chromatography followed by extensive dialysis against the buffer stated above.<br>Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-<br>Mouse Serum and anti-Mouse IgM (u chain specific)<br>Store vial at 4C prior to opening. This product is stable 4C as an undiluted liquid.<br>Dilute only prior to immediate use. For extended storage mix with an equal<br>volume of glycerol, aliquot contents and freeze at -20C or below. Avoid cycles of<br>freezing and thawing. |
| Mouse   |
| 3507  |
| IGHM  |
| Mouse   |
| No reaction was observed against anti-Mouse IgG F(c). Some light chain cross-reactivity will occur with anti-Mouse IgG.   |
|   |
| Western Blot, ELISA, SDS-Page   |
| Western Blot 1:100 - 1:2000, ELISA 1:100 - 1:2000, SDS-Page 1:100 - 1:2000  |
| This product has been tested by SDS-Page and can be utilized as a control or standard reagent in SDS, Western Blotting, and ELISA experiments.  |
|   |



#### Images

| images   |                |   |                         |     |       |    |
|--|----------------|---|-------------------------|-----|-------|----|
| SDS-Page: Mouse IgM Isotype Control [NBP1-97007] - Lane 1: 5 uL<br>Opal Prestained Marker. Lane 2: Reduced Mouse IgG Whole Molecule.<br>Lane 3: Reduced Mouse F(c) Fragment. Lane 4: Reduced Mouse F(ab)<br>Fragment. Lane 5: Mouse IgM Whole Molecule. Load: 1 ug per lane. | kDa            | м | 1                       | 2   | 3     | 4  |
|  | 245 -          |   |                         |     |       |    |
|  | 180 -<br>135 - |   |                         |     |       |    |
|  | 100 -          |   |                         |     |       |    |
|  | 75 -           |   |                         |     |       | μ  |
|  | 63 -           |   | Y                       |     |       |    |
|  |                |   | -                       |     | +     |    |
|  | 48 -           |   |                         |     |       |    |
|  | 35 -           |   |                         | Fcγ | Fab y | κλ |
|  | 25 -           | - | κλ                      | -   |       | KA |
|  | 20 -           |   |                         |     |       |    |
|  | 17 -           |   |                         |     |       |    |
| SDS-Page: Mouse IgM Isotype Control [NBP1-97007] - Lane 1: Mouse gM, Non-Reduced. Lane 2: Mouse IgM, Reduced. Load: 1.0 ug per lane.   |                | - | kDa                     | 1 M | 2     |    |
|  |                |   | 245 -<br>189 -<br>135 - |     |       |    |
|  |                |   | 100 -                   |     |       |    |
|  |                |   | 75 -<br>63 -            | -   |       | -  |
|  |                |   | 48 -                    |     |       |    |
|  |                |   | 35 -                    | _   |       |    |
|  |                |   | 25 -                    | -   | -     | -  |
|  |                |   | 20 -                    | -   |       |    |
|  |                |   | 17 -                    | -   | •     |    |
|  |                |   | 11 -                    | -   | -     |    |

www.novusbio.com





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP1-97007

| H00003507-P01-10ug | Recombinant Human IgM GST (N-Term) Protein |
|--------------------|--|
| NB100-524          | NOD2 Antibody (2D9) - BSA Free             |
| NBP2-34253-0.1mg   | IgM Antibody (IM260)                       |
| 7268-CT-100        | CTLA-4 [Unconjugated]                      |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Isotype Controls are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-97007

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

