

Product Datasheet

Mouse IgG Isotype Control

NBP1-97019-5mg

Unit Size: 5 mg

Store lyophilized antibody at 4C. Aliquot reconstituted liquid and store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 5

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-97019

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-97019



NBP1-97019-5mg

Mouse IgG Isotype Control


Product Information	
Unit Size	5 mg
Concentration	LYOPH mg/ml
Storage	Store lyophilized antibody at 4C. Aliquot reconstituted liquid and store at -20C. Avoid freeze-thaw cycles.
Preservative	0.01% Sodium Azide
Reconstitution Instructions	Reconstitute with 500 ul deionized water (or equivalent).
Isotype	IgG
Purity	Multi-step
Buffer	Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Product Description	
Description	<p>This product was prepared from normal mouse serum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Mouse IgG and anti-Mouse Serum.</p> <p>Store at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.</p>
Host	Mouse
Gene ID	3500
Gene Symbol	IGHG1
Species	Mouse


Product Application Details	
Applications	Western Blot, ELISA, Flow Cytometry, Immunohistochemistry, Immunoprecipitation, SDS-Page
Recommended Dilutions	Western Blot, Flow Cytometry, ELISA, Immunohistochemistry, Immunoprecipitation, SDS-Page
Application Notes	This product has been tested in SDS-Page and can be utilized as a control or standard reagent in SDS, Western Blotting, and ELISA experiments.

Images


Flow Cytometry: Mouse IgG Isotype Control [NBP1-97019]



SDS-Page: Mouse IgG Isotype Control [NBP1-97019] - Lane 1: 5 uL Opal Prestained Marker Lane 2: Reduced Mouse IgG Whole Molecule (BULK ORDER) Lane 3: Reduced Mouse F(c) Fragment Lane 4: Reduced Mouse F(ab) Fragment Lane 5: Mouse IgM Kappa Myeloma Protein Load: 1 ug per lane. Predicted/Observed size: IgG at 50 and 25 kDa; F(c) at 25 kDa; F(ab) at 25 kDa; IgM K at 70 and 23 kDa. Observed F(c) Fragment migrates slightly higher.



SDS-Page: Mouse IgG Isotype Control [NBP1-97019] - SDS-Page of Mouse IgG Isotype control. Lane 1: Mouse IgG reduced. Lane 2: Molecular Weight Marker. Lane 3: Mouse IgG non-reduced. Load: 1 ug per lane. Predicted/Observed size (non-reduced): 160 kDa, 160 kDa. Predicted/Observed size (reduced): 55 and 28 kDa, 55 and 28 kDa.



Publications

Li J, Conrad C, Mills TW et al. PMN-derived netrin-1 attenuates cardiac ischemia-reperfusion injury via myeloid ADORA2B signaling *The Journal of experimental medicine* 2021-06-07 [PMID: 33891683]

Lin A, Shen H, Spychalski G et al. Parallelized immunomagnetic nanopore sorting: modeling, scaling, and optimization of surface marker specific isolation of extracellular vesicles from complex media *Research Square* 2023-05-16 [PMID: 37292737] (FLOW)

Wang R, Nissen NN, Zhang Y Et al. Circulating Fatty Objects and Their Preferential Presence in Pancreatic Cancer Patient Blood Samples *Front Physiol* 2022-03-03 [PMID: 35237181]

Details:

Citation using the Biotin version of this antibody.

Chittezhath M, Wai CMM, Tay VSY et al. TLR4 signals through islet macrophages to alter cytokine secretion during diabetes *J. Endocrinol.* 2020-10-01 [PMID: 32755994] (Mouse)

Yang X, Balakrishnan I, Torok-Storb B, et al. Marrow Stromal Cell Infusion Rescues Hematopoiesis in Lethally Irradiated Mice despite Rapid Clearance after Infusion *Adv Hematol* 2012-03-09 [PMID: 22400029] (IF/IHC, Mouse)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-97019-5mg

NBP1-99013-50ug	Recombinant Mouse IgG Protein
NB200-540	Complement C3 Antibody (11H9) - BSA Free
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NBP2-29373-100Tests	Annexin V Apoptosis Kit [FITC]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Isotype Controls are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-97019

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

