Product Datasheet

Monkey IgM Isotype Control NBP1-97060

Unit Size: 0.25 mg

Store at 4C short term. For extended storage, add an equal volume of glycerol, aliquot and store at -20C or below. Avoid repeated freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-97060

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-97060



NBP1-97060

Monkey IgM Isotype Control

, ,	
Product Information	
Unit Size	0.25 mg
Concentration	Please contact technical services for concentration.
Storage	Store at 4C short term. For extended storage, add an equal volume of glycerol, aliquot and store at -20C or below. Avoid repeated freeze-thaw cycles.
Preservative	0.1% Sodium Azide
Isotype	IgM
Purity	Multi-step
Buffer	0.1 M Tris Chloride, 0.5 M Sodium Chloride, pH 8.0


Prod	uct D)escri	iption
------	-------	--------	--------

This product was prepared from normal serum by a multi-step process which includes delipidation, selective precipitation and tandem molecular sieve chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Monkey Serum and anti-Monkey IgM (u chain specific) Store vial at 4C prior to opening. This product is stable 4C as an undiluted liquid. Dilute only prior to immediate use. For extended storage mix with an equal volume of glycerol, aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing.
Monkey
3507
IGHM
Monkey
No reaction was observed against anti-Monkey IgG F(c). Some light chain cross reactivity will occur with anti-Monkey IgG.

	7	
Product Application Details		
Applications	Western Blot, ELISA, Immunohistochemistry, SDS-Page	
Recommended Dilutions	Western Blot 1:100 - 1:2000, ELISA 1:100 - 1:2000, Immunohistochemistry 1:10 - 1:500, SDS-Page 1:100 - 1:2000	
Application Notes	This product has been tested by SDS-Page and can be utilized as a control or standard reagent in SDS. Western Blotting, and ELISA experiments.	

Images

SDS-Page: Monkey IgM Isotype Control [NBP1-97060] - Lane 1: Monkey IgM, Non-Reduced. Lane 2: Monkey IgM, Reduced. Load: 1.0 ug per lane.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-97060

H00003507-P01-10ug Recombinant Human IgM GST (N-Term) Protein

NB100-524 NOD2 Antibody (2D9) - BSA Free

NBP2-34253-0.1mg IgM Antibody (IM260) 7268-CT-100 CTLA-4 [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Isotype Controls are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-97060

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

