Product Datasheet

Rat IgG Fc Isotype Control [HRP] NBP1-97287

Unit Size: 1 mg

Store lyophilized antibody at 4C in the dark. Aliquot reconstituted liquid and store at -20C. Avoid freeze-thaw cycles.



Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-97287

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-97287



NBP1-97287

Rat IgG Fc Isotype Control [HRP]


1 mg
LYOPH mg/ml
Store lyophilized antibody at 4C in the dark. Aliquot reconstituted liquid and store at -20C. Avoid freeze-thaw cycles.
0.01% Gentamicin Sulfate
Reconstitute with 1.0 ml deionized water (or equivalent).
IgG
HRP
Multi-step
Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free
Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use. This product was prepared from normal serum by delipidation, salt fractionation, ion exchange chromatography followed by papain digestion and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti- Rat IgG, anti-Rat IgG F(c) and anti-Rat Serum
Rat
Rat
No reaction was observed against anti-Rat IgG F(ab')2 or anti-Papain.
SDS-Page
SDS-Page 1:100 - 1:2000
This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms. NOTE: Do NOT add Sodium Azide (it inhibits HRP irreversibly).

www.novusbio.com



Images

SDS-Page: Rat IgG Fc Isotype Control [HRP] [NBP1-97287] - Lane M: 3 uL Opal Prestained Marker. Lane 1: Reduced Rat IgG Whole Molecule. Lane 2: Reduced Rat IgG F(c) Fragment Peroxidase Conjugated. Lane 3: Reduced Rat IgG Fab Fragment. Lane 4: Reduced Rat IgM Whole Molecule. Load: 1 ug of IgG, F(c), Fab; 1.5 ug of IgM.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-97287

NB7446

Goat anti-Human IgG Fc Secondary Antibody

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Isotype Controls are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-97287

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

