

# Product Datasheet

## Dicer knockout Mouse embryonic stem cells Lysate NBP1-97435

Unit Size: 0.25 mg

Store at -80C. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-97435](http://www.novusbio.com/NBP1-97435)

Updated 10/23/2024 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-97435](http://www.novusbio.com/reviews/destination/NBP1-97435)



**NBP1-97435**

Dicer knockout Mouse embryonic stem cells Lysate

**Product Information**

<b>Unit Size</b>	0.25 mg
<b>Concentration</b>	Please contact technical services for concentration.
<b>Storage</b>	Store at -80C. Avoid freeze-thaw cycles.
<b>Preservative</b>	No Preservative
<b>Buffer</b>	Standard RIPA buffer including protease and phosphatase inhibitors and 0.1% SDS. No reducing agents or loading buffer added.

**Product Description**

<b>Gene ID</b>	23405
<b>Gene Symbol</b>	DICER1
<b>Species</b>	Mouse
<b>Lysate Tissue</b>	Embryo
<b>Lysate Subcellular Fraction</b>	Whole

**Product Application Details**

<b>Applications</b>	Western Blot, Immunoprecipitation
<b>Recommended Dilutions</b>	Western Blot, Immunoprecipitation
<b>Application Notes</b>	This lysate is prepared as a positive control for immunoprecipitation or separation by SDS-PAGE and subsequent Western blot analysis. Lysates are prepared in denaturing buffer WITHOUT loading buffer or reducing agents (i.e. 2-mercaptoethanol (BME) or dithiothreitol (DTT)). If reducing conditions are desired, add a reducing agent prior to heating. Heat lysate to 95 degrees C for 5 minutes and rapidly cool. The recommended loading amount is 0.01-0.03 mg per lane.

**Images**

SDS-Page: Dicer knockout Mouse embryonic stem cells Whole Cell Lysate [NBP1-97435] - Staining of Dicer knockout Mouse embryonic stem cells Lysate using NBP1-97435.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

[www.novusbio.com](http://www.novusbio.com)  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP1-97435**

DVE00	VEGF [HRP]
NBP1-96751	Dicer knockout Mouse embryonic stem cells
NB600-302	c-Myc Antibody (9E10) - BSA Free
NB500-171	Histone H3 Antibody - BSA Free

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-97435](http://www.novusbio.com/reviews/submit/NBP1-97435)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

