Product Datasheet

Cytokeratin 6 Antibody (LL020) - BSA Free NBP1-97711

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-97711

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-97711



NBP1-97711

Cytokeratin 6 Antibody (LL020) - BSA Free

<i>J J</i> (<i>j</i> (<i>j</i>)	
Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	LL020
Preservative	0.09% Sodium Azide
Isotype	IgM
Purity	Multi-step
Buffer	PBS, pH 7.2
Product Description	
Description	The antibody is shipped at ambient temperature and may be stored at 4C. For prolonged storage prepare appropriate aliquots and store at or below -20C. Prior to use, an aliquot is thawed slowly in the dark at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at 4C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance or the concentration of the product.
Host	Mouse
Gene ID	3853
Gene Symbol	KRT6A
Species	Human, Zebrafish
Specificity/Sensitivity	Cytokeratin 6 is specifically found in hyperproliferative squamous epithelium such as psoriatic lesions and squamous cell carcinomas, e.g. of the lung. It is expressed in suprabasal Keratinocytes of wounded epidermis, a situation of high cell turnover. It reacts with the basal and suprabasal layers of the entire outer root sheath in normal skin.
Immunogen	This antibody is a mouse monoclonal IgM antibody derived by fusion of SP2/0- Ag14 murine myeloma cells with spleen cells from a Mouse immunized with a carboxyterminal peptide of Cytokeratin 6.
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500, Immunohistochemistry-Frozen 1:10-1:500
Application Notes	This antibody is suitable for immunoblotting and for immunohistochemistry on frozen tissue and paraffin embedded tissue. Optimal antibody dilution should be determined by titration
4	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-97711

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP2-62224	Mouse IgM Isotype Control (PFR-03)
DCX900	CXCL9/MIG [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-97711

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

