Product Datasheet

Actin Gamma 1 Antibody (2A3) [Alexa Fluor® 750] NBP1-97720AF750

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-97720AF750

Updated 11/1/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-97720AF750



NBP1-97720AF750

Actin Gamma 1 Antibody (2A3) [Alexa Fluor® 750]

with many species including protochordates, lower craniates and mammals. Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagen under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity This mouse monoclonal IgG2b antibody highly specific for gamma-cytoplasmic actin (Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1 isoform expressed in the enteric smooth muscle tissues (actin gamma 2; encoded by ACTG2). Immunogen Derived by fusion of NS0 Mouse myeloma cells with spleen cells from a BALB/Mouse immunized with a peptide comprising the N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminus (Ac-EEEIAALVI-COORcoupled to keyhole limpet hemocyanin through the cysteine residue. The	Actin Gamma 1 Antibody (2A3) [Alexa Fluor® 750]	
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone 2A3 Preservative 0.05% Sodium Azide Isotype IgG2b Conjugate Alexa Fluor 750 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 71 Gene Symbol ACTG1 Species Human, Mouse, Rat, Porcine, Chicken, Rabbit, Zebrafish Reactivity Notes The epitope recognized is highly conserved. The antibody therefore cross-react with many species including protochordates, lower craniates and mammals. Please not that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reager under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity This mouse monoclonal IgG2b antibody highly specific for gamma-cytoplasmic actin (Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1; encoded by ACTG1). Immunogen Derived by fusion of NSO Mouse myeloma cells with spleen cells from a BALB/Mouse immunized with a peptide comprising the N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminal nonapeptide of gamma-cytoplasmic actin with an acetyl	Product Information	
Storage Store at 4C in the dark. Clonality Monoclonal Clone 2A3 Preservative 0.05% Sodium Azide Isotype IgG2b Conjugate Alexa Fluor 750 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 71 Gene Symbol ACTG1 Species Human, Mouse, Rat, Porcine, Chicken, Rabbit, Zebrafish Reactivity Notes The epitope recognized is highly conserved. The antibody therefore cross-reac with many species including protochordates, lower craniates and mammals. Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reager under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity This mouse monoclonal IgG2b antibody highly specific for gamma-cytoplasmic actin (Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1; encoded by ACTG2). Immunogen Derived by fusion of NSO Mouse myeloma cells with spleen cells from a BALB/Mouse immunized with a peptide comprising the N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminus (Ac-EEEIAALVI-COOI coupled to keyhole limpet hemocyanin through the cysteine residue. The	Unit Size	0.1 ml
Clone 2A3 Preservative 0.05% Sodium Azide Isotype IgG2b Conjugate Alexa Fluor 750 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 71 Gene Symbol ACTG1 Species Human, Mouse, Rat, Porcine, Chicken, Rabbit, Zebrafish Reactivity Notes The epitope recognized is highly conserved. The antibody therefore cross-react with many species including protochordates, lower craniates and mammals. Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reager under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity This mouse monoclonal IgG2b antibody highly specific for gamma-cytoplasmic actin (Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1; encoded by ACTG2). Immunogen Derived by fusion of NSO Mouse myeloma cells with spleen cells from a BALB/Mouse immunized with a peptide comprising the N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminal cAc-EEIAALVI-COOI coupled to keyhole limpet hemocyanin through the cysteine residue. The	Concentration	·
Clone 2A3 Preservative 0.05% Sodium Azide Isotype 1gG2b Conjugate Alexa Fluor 750 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 71 Gene Symbol ACTG1 Species Human, Mouse, Rat, Porcine, Chicken, Rabbit, Zebrafish Reactivity Notes The epitope recognized is highly conserved. The antibody therefore cross-reac with many species including protochordates, lower craniates and mammals. Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagen under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity This mouse monoclonal IgG2b antibody highly specific for gamma-cytoplasmic actin (Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1 isoform expressed in the enteric smooth muscle tissues (actin gamma 2; encoded by ACTG2). Immunogen Derived by fusion of NS0 Mouse myeloma cells with spleen cells from a BALB/Mouse immunized with a peptide comprising the N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminus (Ac-EEEIAALVI-COOI coupled to keyhole limpet hemocyanin through the cysteine residue. The	Storage	Store at 4C in the dark.
Preservative IgG2b	Clonality	Monoclonal
IgG2b	Clone	2A3
Conjugate Alexa Fluor 750 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 71 Gene Symbol ACTG1 Species Human, Mouse, Rat, Porcine, Chicken, Rabbit, Zebrafish Reactivity Notes The epitope recognized is highly conserved. The antibody therefore cross-reac with many species including protochordates, lower craniates and mammals. Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reager under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity This mouse monoclonal IgG2b antibody highly specific for gamma-cytoplasmic actin (Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1 isoform expressed in the enteric smooth muscle tissues (actin gamma 2; encoded by ACTG2). Immunogen Derived by fusion of NS0 Mouse myeloma cells with spleen cells from a BALB/Mouse immunized with a peptide comprising the N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminal (Ac-EEEIAALVI-COO) coupled to keyhole limpet hemocyanin through the cysteine residue. The	Preservative	0.05% Sodium Azide
Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 71 Gene Symbol ACTG1 Species Human, Mouse, Rat, Porcine, Chicken, Rabbit, Zebrafish Reactivity Notes The epitope recognized is highly conserved. The antibody therefore cross-react with many species including protochordates, lower craniates and mammals. Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reager under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity This mouse monoclonal IgG2b antibody highly specific for gamma-cytoplasmic actin (Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1 isoform expressed in the enteric smooth muscle tissues (actin gamma 2; encoded by ACTG2). Immunogen Derived by fusion of NS0 Mouse myeloma cells with spleen cells from a BALB/Mouse immunized with a peptide comprising the N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminal (Ac-EEEIAALVI-COOR) coupled to keyhole limpet hemocyanin through the cysteine residue. The	Isotype	lgG2b
Buffer SomM Sodium Borate	Conjugate	Alexa Fluor 750
Product Description Host Mouse Gene ID 71 Gene Symbol ACTG1 Species Human, Mouse, Rat, Porcine, Chicken, Rabbit, Zebrafish Reactivity Notes The epitope recognized is highly conserved. The antibody therefore cross-react with many species including protochordates, lower craniates and mammals. Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reager under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity This mouse monoclonal IgG2b antibody highly specific for gamma-cytoplasmic actin (Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1 isoform expressed in the enteric smooth muscle tissues (actin gamma 2; encoded by ACTG2). Immunogen Derived by fusion of NS0 Mouse myeloma cells with spleen cells from a BALB/Mouse immunized with a peptide comprising the N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminus (Ac-EEFIAALVI-COOR coupled to keyhole limpet hemocyanin through the cysteine residue. The	Purity	Protein A or G purified
Mouse Gene ID 71	Buffer	50mM Sodium Borate
Gene Symbol ACTG1 Species Human, Mouse, Rat, Porcine, Chicken, Rabbit, Zebrafish Reactivity Notes The epitope recognized is highly conserved. The antibody therefore cross-reac with many species including protochordates, lower craniates and mammals. Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagen under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity This mouse monoclonal IgG2b antibody highly specific for gamma-cytoplasmic actin (Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1 isoform expressed in the enteric smooth muscle tissues (actin gamma 2; encoded by ACTG2). Immunogen Derived by fusion of NS0 Mouse myeloma cells with spleen cells from a BALB/Mouse immunized with a peptide comprising the N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminus (Ac-EEEIAALVI-COOR coupled to keyhole limpet hemocyanin through the cysteine residue. The	Product Description	
Gene Symbol ACTG1 Species Human, Mouse, Rat, Porcine, Chicken, Rabbit, Zebrafish The epitope recognized is highly conserved. The antibody therefore cross-reac with many species including protochordates, lower craniates and mammals. Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagen under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity This mouse monoclonal IgG2b antibody highly specific for gamma-cytoplasmic actin (Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1 isoform expressed in the enteric smooth muscle tissues (actin gamma 2; encoded by ACTG2). Immunogen Derived by fusion of NS0 Mouse myeloma cells with spleen cells from a BALB/Mouse immunized with a peptide comprising the N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminus (Ac-EEEIAALVI-COORcoupled to keyhole limpet hemocyanin through the cysteine residue. The	Host	Mouse
Species Human, Mouse, Rat, Porcine, Chicken, Rabbit, Zebrafish The epitope recognized is highly conserved. The antibody therefore cross-read with many species including protochordates, lower craniates and mammals. Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagen under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity This mouse monoclonal IgG2b antibody highly specific for gamma-cytoplasmic actin (Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1 isoform expressed in the enteric smooth muscle tissues (actin gamma 2; encoded by ACTG2). Immunogen Derived by fusion of NS0 Mouse myeloma cells with spleen cells from a BALB/Mouse immunized with a peptide comprising the N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminus (Ac-EEEIAALVI-COORcoupled to keyhole limpet hemocyanin through the cysteine residue. The	Gene ID	71
The epitope recognized is highly conserved. The antibody therefore cross-react with many species including protochordates, lower craniates and mammals. Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagen under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity This mouse monoclonal IgG2b antibody highly specific for gamma-cytoplasmic actin (Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1 isoform expressed in the enteric smooth muscle tissues (actin gamma 2; encoded by ACTG2). Immunogen Derived by fusion of NS0 Mouse myeloma cells with spleen cells from a BALB/Mouse immunized with a peptide comprising the N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminus (Ac-EEEIAALVI-COORcoupled to keyhole limpet hemocyanin through the cysteine residue. The	Gene Symbol	ACTG1
with many species including protochordates, lower craniates and mammals. Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagen under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity This mouse monoclonal IgG2b antibody highly specific for gamma-cytoplasmic actin (Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1 isoform expressed in the enteric smooth muscle tissues (actin gamma 2; encoded by ACTG2). Immunogen Derived by fusion of NS0 Mouse myeloma cells with spleen cells from a BALB/Mouse immunized with a peptide comprising the N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminus (Ac-EEEIAALVI-COORcoupled to keyhole limpet hemocyanin through the cysteine residue. The	Species	Human, Mouse, Rat, Porcine, Chicken, Rabbit, Zebrafish
actin (Actin Gamma 1; encoded by ACTG1). It does not cross-react with the Actin Gamma 1 isoform expressed in the enteric smooth muscle tissues (actin gamma 2; encoded by ACTG2). Immunogen Derived by fusion of NS0 Mouse myeloma cells with spleen cells from a BALB/Mouse immunized with a peptide comprising the N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminus (Ac-EEEIAALVI-COOR coupled to keyhole limpet hemocyanin through the cysteine residue. The	Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact
Mouse immunized with a peptide comprising the N-terminal nonapeptide of gamma-cytoplasmic actin with an acetylated N-terminus (Ac-EEEIAALVI-COOl coupled to keyhole limpet hemocyanin through the cysteine residue. The	Specificity/Sensitivity	Actin Gamma 1 isoform expressed in the enteric smooth muscle tissues (actin
	Immunogen	gamma-cytoplasmic actin with an acetylated N-terminus (Ac-EEEIAALVI-COOH)



Notes

Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.

Product Application Details	
Applications	Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot, Flow Cytometry, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen
Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-97720AF750

IC0041S Mouse IgG2b Isotype Control (133303) [Alexa Fluor® 750]

H00000071-P01-10ug Recombinant Human Actin Gamma 1 GST (N-Term) Protein

210-TA-005 TNF-alpha [Unconjugated]

NBP2-66399 Human Actin Gamma 1 ELISA Kit (Chemiluminescence)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-97720AF750

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

