# **Product Datasheet**

## TWEAK R/TNFRSF12 Antibody (ITEM-4) - BSA Free NBP2-00409-100ug

Unit Size: 100 ug

Store at 4C. Do not freeze.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-00409

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-00409



## NBP2-00409-100ug


TWEAK R/TNFRSF12 Antibody (ITEM-4) - BSA Free

100 ug	
0.5 mg/ml	
Store at 4C. Do not freeze.	
Monoclonal	
ITEM-4	
0.09% Sodium Azide	
IgG2b Kappa	
Protein A or G purified	
PBS (pH 7.2)	
Product Description	
Mouse	
51330	
TNFRSF12A	
Human, Mouse	
Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information.	
The immunogen for this antibody is TWEAKR.	
Product Application Details	
Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry- Frozen	
Western Blot 1:100-1:2000, Flow Cytometry 1:10-1:1000, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Frozen 1:10-1:500	
This has been tested by flow cytometric analysis on human or mouse Fn14 transfected cells. This can be used at less than or equal to 1 ug per test. A test is defined as the amount (ug)/test of antibody that will stain a cell sample in a final volume of 100 uL. Cell number should be determined empirically but can range from 10^5 to 10^8 cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest. Use in WB and IHC-F was reported in the scientific literature (PMID: 19473660).	



#### Images

Flow Cytometry: TWEAK R/TNFRSF12 Antibody (ITEM-4) [NBP2-00409] - Analysis using the Biotin conjugate of NBP2-00409. Staining of TWEAK R in murine 603B cell lines using anti-TWEAK R antibody. Image from verified customer review.



Flow Cytometry: TWEAK R/TNFRSF12 Antibody (ITEM-4) [NBP2-00409] - Staining of non-transfected (left) and human Fn14 transfected (right) L5178Y cells with 0.5 ug of Mouse IgG2a K Isotype Control Purified (open histogram) or 0.5 ug Anti-Human/Mouse CD266 (TWEAK Receptor) Purified (filled histogram) followed byAnti-Mouse IgG FITC. Total viable cells were used for analysis.





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-00409-100ug

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-43317-0.5mg	Mouse IgG2b Kappa Light Chain Isotype Control (MG2b)
NBP1-43483-0.1mg	TWEAK R/TNFRSF12 Antibody (ITEM-4) [Biotin]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-00409

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

