Product Datasheet

TRAP alpha Antibody (OTI4C7) NBP2-01026

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.



Reviews: 1 Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-01026

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-01026




NBP2-01026

TRAP alpha Antibody (OTI4C7)

1 2 ()	
Product Information	
Unit Size	0.1 ml
Concentration	0.95 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI4C7
Preservative	0.02% Sodium Azide
Isotype	IgG1
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.3), 1.0% BSA and 50% Glycerol
Target Molecular Weight	32.1 kDa
Product Description	
Host	Mouse
Gene ID	6745
Gene Symbol	SSR1
Species	Human, Mouse, Rat, Canine, Primate, Monkey
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.
Immunogen	Full length human recombinant protein of human SSR1(NP_003135) produced in HEK293 cell.
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500-2000, Flow Cytometry 1:100, Immunohistochemistry 1:150, Immunocytochemistry/ Immunofluorescence 1:50-100, Immunohistochemistry- Paraffin 1:150

Images

Western Blot: TRAP alpha Antibody (4C7) [NBP2-01026] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY TRAP alpha (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TRAP alpha.




www.novusbio.com




Immunocytochemistry/Immunofluorescence: TRAP alpha Antibody (4C7) [NBP2-01026] - Staining of COS7 cells transiently transfected by pCMV6 -ENTRY TRAP alpha.

Immunohistochemistry-Paraffin: TRAP alpha Antibody (4C7) [NBP2-

TRAP alpha mouse monoclonal antibody.





01026] - Staining of paraffin-embedded Human thyroid tissue using anti-



Flow Cytometry: TRAP alpha Antibody (4C7) [NBP2-01026] - HEK293T cells transfected with either overexpression plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-TRAP alpha antibody, and then analyzed by flow cytometry.

Western Blot: TRAP alpha Antibody (4C7) [NBP2-01026] Analysis of extracts (35ug) from 9 different cell lines by using anti-TRAP alpha monoclonal antibody.








Immunocytochemistry/Immunofluorescence: TRAP alpha Antibody (4C7) [NBP2-01026] - Immunofluorescent staining of HeLa cells using anti-TRAP alpha mouse monoclonal antibody.

Immunohistochemistry-Paraffin: TRAP alpha Antibody (4C7) [NBP2-01026] - Staining of paraffin-embedded Adenocarcinoma of Human ovary tissue using anti-TRAP alpha mouse monoclonal antibody.

Immunohistochemistry-Paraffin: TRAP alpha Antibody (4C7) [NBP2-01026] - Staining of paraffin-embedded Carcinoma of Human bladder tissue using anti-TRAP alpha mouse monoclonal antibody.

Immunohistochemistry-Paraffin: TRAP alpha Antibody (4C7) [NBP2-01026] - Staining of paraffin-embedded Carcinoma of Human liver tissue using anti-TRAP alpha mouse monoclonal antibody.





Publications

Losfeld ME, Ng BG, Kircher M et al. A new congenital disorder of glycosylation caused by a mutation in SSR4, the signal sequence receptor 4 protein of the TRAP complex. Hum Mol Genet. 2013-11-13 [PMID: 24218363] (WB, Human)

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-01026

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NBP2-51512-0.02mg	Recombinant Human TRAP alpha His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-01026

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

