Product Datasheet

Cytochrome P450 2A6 Antibody (OTI1D2) NBP2-01437

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-01437

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-01437



NBP2-01437


Cytochrome P450 2A6 Antibody (OTI1D2)

Cytochrome P450 2A6 Antibody (OTI1D2)	
Product Information	
Unit Size	0.1 ml
Concentration	1.3 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI1D2
Preservative	0.02% Sodium Azide
Isotype	lgG2b
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.3), 1.0% BSA and 50% Glycerol
Target Molecular Weight	56.3 kDa
Product Description	
Host	Mouse
Gene ID	1548
Gene Symbol	CYP2A6
Species	Human, Mouse, Rat, Primate, Monkey
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.
Immunogen	Full length human recombinant protein of human CYP2A6(NP_000753) produced in HEK293T cell.
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500-2000, Flow Cytometry 1:100, Immunohistochemistry 1:150,

Immunohistochemistry-Paraffin 1:150


Images

Western Blot: Cytochrome P450 2A6 Antibody (OTI1D2) [NBP2-01437] - Analysis of extracts (35ug) from 9 different cell lines by using anti-Cytochrome P450 2A6 monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human).







Immunohistochemistry-Paraffin: Cytochrome P450 2A6 Antibody (OTI1D2) [NBP2-01437] - Staining of paraffin-embedded Human prostate tissue using anti-Cytochrome P450 2A6 mouse monoclonal antibody.




Flow Cytometry: Cytochrome P450 2A6 Antibody (OTI1D2) [NBP2-01437] - Analysis of Jurkat cells, using anti-CYP2A6 antibody, (Red), compared to a nonspecific negative control antibody, (Blue).




Western Blot: Cytochrome P450 2A6 Antibody (OTI1D2) [NBP2-01437] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY Cytochrome P450 2A6 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-Cytochrome P450 2A6.




Immunohistochemistry-Paraffin: Cytochrome P450 2A6 Antibody (OTI1D2) [NBP2-01437] - Staining of paraffin-embedded Human bladder tissue using anti-Cytochrome P450 2A6 mouse monoclonal antibody.




Immunohistochemistry-Paraffin: Cytochrome P450 2A6 Antibody (OTI1D2) [NBP2-01437] - Staining of paraffin-embedded Adenocarcinoma of Human endometrium tissue using anti-Cytochrome P450 2A6 mouse monoclonal antibody.




Immunohistochemistry-Paraffin: Cytochrome P450 2A6 Antibody (OTI1D2) [NBP2-01437] - Staining of paraffin-embedded Adenocarcinoma of Human ovary tissue using anti-Cytochrome P450 2A6 mouse monoclonal antibody.




Immunohistochemistry-Paraffin: Cytochrome P450 2A6 Antibody (OTI1D2) [NBP2-01437] - Staining of paraffin-embedded Carcinoma of Human bladder tissue using anti-Cytochrome P450 2A6 mouse monoclonal antibody.



Immunohistochemistry-Paraffin: Cytochrome P450 2A6 Antibody (OTI1D2) [NBP2-01437] - Staining of paraffin-embedded Human endometrium tissue using anti-Cytochrome P450 2A6 mouse monoclonal antibody.



Immunohistochemistry-Paraffin: Cytochrome P450 2A6 Antibody (OTI1D2) [NBP2-01437] - Staining of paraffin-embedded Human liver tissue using anti-Cytochrome P450 2A6 mouse monoclonal antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-01437

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP2-27231 Mouse IgG2b Isotype Control (MPC-11)

H00001556-P01-10ug Recombinant Human Cytochrome P450 2B7P1 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-01437

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

