

# Product Datasheet

## Cystatin C Antibody (OTI2C8)

### NBP2-01875

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

#### Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-01875](http://www.novusbio.com/NBP2-01875)

Updated 10/23/2024 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-01875](http://www.novusbio.com/reviews/destination/NBP2-01875)



**NBP2-01875****Cystatin C Antibody (OTI2C8)**


<b>Product Information</b>	
<b>Unit Size</b>	0.1 ml
<b>Concentration</b>	1 mg/ml
<b>Storage</b>	Store at -20C. Avoid freeze-thaw cycles.
<b>Clonality</b>	Monoclonal
<b>Clone</b>	OTI2C8
<b>Preservative</b>	0.02% Sodium Azide
<b>Isotype</b>	IgG1
<b>Purity</b>	Immunogen affinity purified
<b>Buffer</b>	PBS (pH 7.3), 1.0% BSA and 50% Glycerol
<b>Target Molecular Weight</b>	13.3 kDa

<b>Product Description</b>	
<b>Host</b>	Mouse
<b>Gene ID</b>	1471
<b>Gene Symbol</b>	CST3
<b>Species</b>	Human
<b>Immunogen</b>	Full length human recombinant protein of human CST3(NP_000090) produced in HEK293T cell.


<b>Product Application Details</b>	
<b>Applications</b>	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
<b>Recommended Dilutions</b>	Western Blot 1:2000, Immunohistochemistry 1:150, Immunohistochemistry-Paraffin 1:150

**Images**


Western Blot: Cystatin C Antibody (OTI2C8) [NBP2-01875] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY Cystatin C (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-Cystatin C.




Immunohistochemistry-Paraffin: Cystatin C Antibody (OT12C8) [NBP2-01875] - Staining of paraffin-embedded Human tonsil using anti-Cystatin C mouse monoclonal antibody.




Immunohistochemistry-Paraffin: Cystatin C Antibody (OT12C8) [NBP2-01875] - Staining of paraffin-embedded Adenocarcinoma of Human endometrium tissue using anti-Cystatin C mouse monoclonal antibody.



Immunohistochemistry-Paraffin: Cystatin C Antibody (OT12C8) [NBP2-01875] - Staining of paraffin-embedded Adenocarcinoma of Human ovary tissue using anti-Cystatin C mouse monoclonal antibody.




Immunohistochemistry-Paraffin: Cystatin C Antibody (OT12C8) [NBP2-01875] - Staining of paraffin-embedded Carcinoma of Human lung tissue using anti-Cystatin C mouse monoclonal antibody.







Immunohistochemistry-Paraffin: Cystatin C Antibody (OT12C8) [NBP2-01875] - Staining of paraffin-embedded Carcinoma of Human prostate tissue using anti-Cystatin C mouse monoclonal antibody.




Immunohistochemistry-Paraffin: Cystatin C Antibody (OT12C8) [NBP2-01875] - Staining of paraffin-embedded Human breast tissue using anti-Cystatin C mouse monoclonal antibody.



Immunohistochemistry-Paraffin: Cystatin C Antibody (OT12C8) [NBP2-01875] - Staining of paraffin-embedded Human Kidney tissue using anti-Cystatin C mouse monoclonal antibody.



Immunohistochemistry-Paraffin: Cystatin C Antibody (OT12C8) [NBP2-01875] - Staining of paraffin-embedded Human prostate tissue using anti-Cystatin C mouse monoclonal antibody.



## Publications

Gren ST, Janciauskiene S, Sandeep S et al. The protease inhibitor cystatin C down-regulates the release of IL-beta and TNF-alpha in lipopolysaccharide activated monocytes. *J. Leukoc. Biol.* 2016-05-17 [PMID: 27190304] (IHC-P)



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP2-01875**

---

NB820-59185	Human Brain Diencephalon Whole Tissue Lysate (Adult Whole Normal)
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-01875](http://www.novusbio.com/reviews/submit/NBP2-01875)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

