## **Product Datasheet**

### HAI-1/HGFA Inhibitor 1 Antibody (OTI4H2) NBP2-01969

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-01969

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-01969



#### NBP2-01969


HAI-1/HGFA Inhibitor 1 Antibody (OTI4H2)

.1 ml mg/ml tore at -20C. Avoid freeze-thaw cycles.
mg/ml
tore at -20C. Avoid freeze-thaw cycles.
Ionoclonal
DTI4H2
.02% Sodium Azide
gG1
nmunogen affinity purified
BS (pH 7.3), 1.0% BSA and 50% Glycerol
louse
692
PINT1
luman, Mouse, Rat, Canine, Primate, Monkey
lease note that this antibody is reactive to Mouse and derived from the same ost, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and CC experiments to reduce high background signal. You can find these reagents nder catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical support if you have any questions.
ull length human recombinant protein of human SPINT1(NP_857593) produced HEK293T cell.
Vestern Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence
Vestern Blot 1:200, Flow Cytometry 1:100, Immunocytochemistry/ nmunofluorescence 1:100



#### Images


Western Blot: HGFA Inhibitor 1 Antibody (4H2) [NBP2-01969] Analysis of extracts (35ug) from 9 different cell lines by using anti-HGFA Inhibitor 1 monoclonal antibody.





Immunocytochemistry/Immunofluorescence: HGFA Inhibitor 1 Antibody (4H2) [NBP2-01969] - Staining of COS7 cells transiently transfected by pCMV6-ENTRY HGFA Inhibitor 1.

Flow Cytometry: HGFA Inhibitor 1 Antibody (4H2) [NBP2-01969] -HEK293T cells transfected with either overexpression plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-HGFA Inhibitor 1 antibody, and then analyzed by flow cytometry.

Western Blot: HGFA Inhibitor 1 Antibody (4H2) [NBP2-01969] -HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY HGFA Inhibitor 1 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-HGFA Inhibitor 1.











#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-01969

NBP2-68621PEP	HAI-1/HGFA Inhibitor 1 Recombinant Protein Antigen
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-01969

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

