Product Datasheet

MAD2L1 Antibody (OTI4D2) NBP2-02103

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-02103

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-02103



NBP2-02103

MAD2L1 Antibody (OTI4D2)


| 0.1 ml | |
|---|--|
| 1 mg/ml | |
| Store at -20C. Avoid freeze-thaw cycles. | |
| Monoclonal | |
| OTI4D2 | |
| 0.02% Sodium Azide | |
| IgG2a | |
| Immunogen affinity purified | |
| PBS (pH 7.3), 1.0% BSA and 50% Glycerol | |
| 23.3 kDa | |
| Product Description | |
| Mouse | |
| 4085 | |
| MAD2L1 | |
| Human, Mouse, Rat | |
| Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. | |
| Full length human recombinant protein of human MAD2L1 (NP_002349) produced in HEK293T cell. | |
| Product Application Details | |
| Western Blot, Immunocytochemistry/ Immunofluorescence | |
| | |

| Product Application Details | |
|------------------------------------|--|
| Applications | Western Blot, Immunocytochemistry/ Immunofluorescence |
| Recommended Dilutions | Western Blot 1:1000, Immunocytochemistry/ Immunofluorescence 1:100 |




Images

Western Blot: Mad2L1 Antibody (4D2) [NBP2-02103] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY Mad2L1 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-Mad2L1.



Immunocytochemistry/Immunofluorescence: Mad2L1 Antibody (4D2) [NBP2-02103] Staining of COS7 cells transiently transfected by pCMV6-ENTRY Mad2L1.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-02103

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-96778 Mouse IgG2a Isotype Control (M2A)

NBP1-72458-10ug Recombinant Human MAD2L1 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-02103

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

