# **Product Datasheet**

# ADE2 Antibody (OTI1B4) NBP2-02817

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 2** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-02817

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-02817



#### NBP2-02817


ADE2 Antibody (OTI1B4)	
Product Information	
Unit Size	0.1 ml
Concentration	1 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI1B4
Preservative	0.02% Sodium Azide
Isotype	lgG2b
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.3), 1.0% BSA and 50% Glycerol
Target Molecular Weight	46.9 kDa
Product Description	
Description	Novus Biologicals Mouse ADE2 Antibody (OTI1B4) (NBP2-02817) is a monoclonal antibody validated for use in WB, Flow and ICC/IF. Anti-ADE2 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	10606
Gene Symbol	PAICS
Species	Human, Mouse, Rat
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.
Immunogen	Full length human recombinant protein of human PAICS (NP_006443) produced in HEK293T cell.
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence
Pasammandad Dilutiana	Western Blot 1:2000 Flow Cytomatry 1:100 Immunocytochamietry/

**Recommended Dilutions** Western Blot 1:2000, Flow Cytometry 1:100, Immunocytochemistry/

Immunofluorescence 1:100


## **Images**

Western Blot: ADE2 Antibody (OTI1B4) [NBP2-02817] - Blot showing the P effect of hypoxia on the protein expression levels of the purine biosynthetic enzymes. HIF-1 alpha is stabilized in hypoxia as expected, and no significant increase in the purine enzymes was detected between normoxic (21% oxygen) and hypoxic (1% oxygen) growth conditions. The positions of molecular markers surrounding each band of interest are shown for each blot. ADSL (NBP2-03107), ATIC (NBP2-01941), FGAMS (NBP1-84691), GART (H00002618-M01), HIF-1a (NB100-449), PAICS (NBP2-02817), PPAT (NBP2-02056). Image collected and cropped by CiteAb from the following publication (//pubmed.ncbi.nlm.nih.gov/32439803/) licensed under a CC-BY license.







Immunocytochemistry/Immunofluorescence: ADE2 Antibody (OTI1B4) [NBP2-02817] - Staining of COS7 cells transiently transfected by pCMV6 -ENTRY ADE2.




Flow Cytometry: ADE2 Antibody (OTI1B4) [NBP2-02817] - HEK293T cells transfected with either overexpression plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-ADE2 antibody, and then analyzed by flow cytometry.



Western Blot: ADE2 Antibody (OTI1B4) [NBP2-02817] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ADE2 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ADE2.



Flow Cytometry: ADE2 Antibody (OTI1B4) [NBP2-02817] - Analysis of Jurkat cells, using anti-ADE2 antibody, (Red), compared to a nonspecific negative control antibody (Blue).



#### **Publications**

Doigneaux C, Pedley AM, Mistry IN et al. Hypoxia Drives the Assembly of the Multi-Enzyme Purinosome Complex J. Biol. Chem. 2020-05-21 [PMID: 32439803]

Halbert D, Domenyuk V, Spetzler D et al. Aptamers and uses thereof United States Patent Application US 9958448 B2 2018-01-01





# **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

## **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP2-02817**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP2-27231 Mouse IgG2b Isotype Control (MPC-11)
NBP2-51641-0.1mg Recombinant Human ADE2 His Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-02817

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

