Product Datasheet

IVD Antibody (OTI1B10) NBP2-03047

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-03047

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-03047



NBP2-03047

IVD Antibody (OTI1B10)

Product Information	
Unit Size	0.1 ml
Concentration	1 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI1B10
Preservative	0.02% Sodium Azide
Isotype	IgG2b
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.3), 1.0% BSA and 50% Glycerol
Target Molecular Weight	46.5 kDa
Product Description	
Host	Mouse
Gene ID	3712
Gene Symbol	IVD
Species	Human, Mouse, Rat, Canine, Primate, Monkey
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.
Immunogen	Full length human recombinant protein of human IVD (NP_002612) produced in HEK293T cell.
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500, Flow Cytometry 1:100, Immunohistochemistry 1:150, Immunocytochemistry/ Immunofluorescence 1:100, Immunohistochemistry- Paraffin 1:150





Western Blot: IVD Antibody (1B10) [NBP2-03047] Analysis of extracts HepG2 HeLa HT29 A549 COS7 Jurkat MDCK PC12 MCF7 (35ug) from 9 different cell lines by using anti-IVD monoclonal antibody. 158-106-79-48-35-23-Immunocytochemistry/Immunofluorescence: IVD Antibody (1B10) [NBP2] -03047] - Staining of COS7 cells transiently transfected by pCMV6-ENTRY IVD. Immunohistochemistry-Paraffin: IVD Antibody (1B10) [NBP2-03047] -Staining of paraffin-embedded Human lymph node tissue using anti-IVD mouse monoclonal antibody. Western Blot: IVD Antibody (1B10) [NBP2-03047] - HEK293T cells were 170 transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-130 ENTRY IVD (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts 100 of cell lysates (5 ug per lane) were separated by SDS-PAGE and 70 immunoblotted with anti-IVD. 55 40 35 25 15 10

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-03047

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP2-27231	Mouse IgG2b Isotype Control (MPC-11)
NBP1-40406	Recombinant Human IVD His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-03047

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

