

Product Datasheet

LMAN1 Antibody (OTI1A8)

NBP2-03381

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 5

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-03381

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-03381



NBP2-03381

LMAN1 Antibody (OT11A8)

Product Information	
Unit Size	0.1 ml
Concentration	1 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OT11A8
Preservative	0.02% Sodium Azide
Isotype	IgG1
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.3), 1.0% BSA and 50% Glycerol
Target Molecular Weight	54.2 kDa


Product Description	
Description	Novus Biologicals Mouse LMAN1 Antibody (OT11A8) (NBP2-03381) is a monoclonal antibody validated for use in IHC, WB, Flow and ICC/IF. Anti-LMAN1 Antibody: Cited in 5 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	3998
Gene Symbol	LMAN1
Species	Human, Mouse, Rat, Canine, Primate, Monkey
Reactivity Notes	Monkey reactivity reported in scientific literature (PMID: 24891604). Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.
Immunogen	Full length human recombinant protein of human LMAN1 (NP_005561) produced in HEK293T cell.

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:200-500, Flow Cytometry 1:100, Immunohistochemistry 1:150, Immunocytochemistry/ Immunofluorescence 1:100, Immunohistochemistry-Paraffin 1:150




Images


Western Blot: LMAN1 Antibody (OTI1A8) [NBP2-03381] - Analysis of extracts (35ug) from 9 different cell lines by using anti-LMAN1 monoclonal antibody.




Immunocytochemistry/Immunofluorescence: LMAN1 Antibody (OTI1A8) [NBP2-03381] - Staining of COS7 cells transiently transfected by pCMV6-ENTRY LMAN1.




Immunohistochemistry-Paraffin: LMAN1 Antibody (OTI1A8) [NBP2-03381] - Staining of paraffin-embedded Human prostate tissue using anti-LMAN1 mouse monoclonal antibody.




Flow Cytometry: LMAN1 Antibody (OTI1A8) [NBP2-03381] - HEK293T cells transfected with either RC207088 overexpress plasmid(Red) or empty vector control plasmid(Blue) were immunostained by anti-LMAN1 antibody and then analyzed by flow cytometry.




Western Blot: LMAN1 Antibody (OTI1A8) [NBP2-03381] - Staurosporine-induced cleavage of SMSr is sensitive to caspase-6 inhibitors. HeLa cells stably transduced with EV, SMSr-V5, and SMSrCR-V5 were treated with 1 ug/ml staurosporine for 6 h, lysed and subjected to immunoblot analysis using anti-V5, anti-PARP1, and anti-ERGIC-53 antibodies; FL, full length; CL, cleaved. Image collected and cropped by CiteAb from the following publication (<https://bioscirep.org/lookup/doi/10.1042/BSR20170867>), licensed under a CC-BY license.




Western Blot: LMAN1 Antibody (OTI1A8) [NBP2-03381] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY LMAN1 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-LMAN1.




Immunohistochemistry-Paraffin: LMAN1 Antibody (OTI1A8) [NBP2-03381] - Staining of paraffin-embedded Carcinoma of Human kidney tissue using anti-LMAN1 mouse monoclonal antibody.




Immunohistochemistry-Paraffin: LMAN1 Antibody (OTI1A8) [NBP2-03381] - Staining of paraffin-embedded Carcinoma of Human prostate tissue using anti-LMAN1 mouse monoclonal antibody.




Immunohistochemistry-Paraffin: LMAN1 Antibody (OTI1A8) [NBP2-03381] - Staining of paraffin-embedded Human Kidney tissue using anti-LMAN1 mouse monoclonal antibody.




Immunohistochemistry-Paraffin: LMAN1 Antibody (OTI1A8) [NBP2-03381] - Staining of paraffin-embedded Human liver tissue using anti-LMAN1 mouse monoclonal antibody.



Immunohistochemistry-Paraffin: LMAN1 Antibody (OTI1A8) [NBP2-03381] - Staining of paraffin-embedded Human pancreas tissue using anti-LMAN1 mouse monoclonal antibody.



Flow Cytometry: LMAN1 Antibody (OTI1A8) [NBP2-03381] - Analysis of Jurkat cells, using anti-LMAN1 antibody, (Red), compared to a nonspecific negative control antibody (Blue).



Publications

Caielli S, Balasubramanian P, Rodriguez-Alcazar J, Balaji U et Al. Type I IFN drives unconventional IL-1 β secretion in lupus monocytes Immunity 2024-10-08 [PMID: 39378884]

Caielli S, Balasubramanian P, Rodriguez-Alcazar J et al. An unconventional mechanism of IL-1 β secretion that requires Type I IFN in lupus monocytes bioRxiv : the preprint server for biology 2023-08-03 [PMID: 37577613]

Miller MH, Swaby LG, Vailoces VS et al. LMAN1 is a receptor for house dust mite allergens Cell reports 2023-03-03 [PMID: 36870056] (FLOW, Mouse)

Cabukusta B, Nettebrock NT, Kol M et al. Ceramide phosphoethanolamine synthase SMSr is a target of caspase-6 during apoptotic cell death Biosci. Rep. 2017-08-31 [PMID: 28659495] (WB, Human)

Gerondopoulos A, Bastos RN, Yoshimura S et al. Rab18 and a Rab18 GEF complex are required for normal ER structure. J. Cell Biol. 2014-06-09 [PMID: 24891604] (ICC/IF, Monkey)

Details:

COS7 cells expressing GFP-Rab18 immunostained for Rab3GAP1 and markers for COP I (beta-COP), COP II (Sec31), ERGIC-53, and LAMP1 (Figure 3d)



**Novus Biologicals USA**

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-03381

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NBP1-84812PEP	LMAN1 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-03381

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

