Product Datasheet

PYK2/FAK2 Overexpression Lysate NBP2-04265

Unit Size: 0.1 mg

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-04265

Updated 11/9/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-04265



NBP2-04265

PYK2/FAK2 Overexpression Lysate

Product Information	
Unit Size 0.1 mg	
	oncentration of the protein of interest cannot be determined for ion lysates. Please contact technical support for more information.
Storage Store at -80	C. Avoid freeze-thaw cycles.
Buffer RIPA buffer	
Target Molecular Weight115.7 kDa	
Product Description	
Description PYK2/FA	K2 Transient Overexpression Lysate
Expression	Host: HEK293T
Plasmid: RC	203808
Accession#:	NM_004103
Protein Tag	C-MYC/DDK
(100ug), and contains 100	tive 1 vial of lysate (100ug), 1 vial of empty vector negative control 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate bug of total protein (at 1 mg/ml). The 2xSDS Sample Buffer consists 125mM Tris-HCl pH6.8, 10% Glycerol, 0.002% Bromophenol blue,
Gene ID 2185	
Gene Symbol PTK2B	
Species Human	
polymer trar volume DNA collection. T 150mM NaC PMSF and 1	ells in 10-cm dishes were transiently transfected with a non-lipid sfection reagent specially designed and manufactured for large transfection. Transfected cells were cultured for 48hrs before he cells were lysed in modified RIPA buffer (25mM Tris-HCI pH7.6, I, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix, 1mM mM Na3VO4, and then centrifuged to clarify the lysate. Protein in was measured by BCA protein assay kit.
Lysate Type Overexpress	sion
Product Application Details	
Applications Western Blo	t
Recommended Dilutions Western Blo	t



Application Notes	This product is intended for use as a positive control in Western Blot. Overexpression of the target protein was confirmed using an antibody to DDK (FLAG) epitope tag (<u>NBP1-71705</u>) present on the protein construct.
	Each vial of cell lysate contains 100ug of total protein which should be sufficient for 20-50 reactions. Depending on over-expression level, antibody affinity and detection system, some lysates can go as low as 0.1 ug per load. We recommend starting with 5ug of cell lysate. Add an equal amount of cell lysate and 2X SDS Sample buffer and boil the SDS samples for 10 minutes before loading.

Images

Western Blot: PYK2 Overexpression Lysate (Adult Normal) [NBP2-04265] Left-Empty vector transfected control cell lysate (HEK293 cell lysate); Right -Over-expression Lysate for PYK2.

158-	
106 - 79 -	-
48 -	
35 - 23 -	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-04265

NBP1-91228PEP	PYK2/FAK2 Recombinant Protein Antigen
210-TA-005	TNF-alpha [Unconjugated]
MAB6210	PYK2/FAK2 [p Tyr402] Antibody (592918) [Unconjugated]
NBP2-22203	ERK1 Antibody (1E5) - BSA Free

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-04265

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

