Product Datasheet

KLC3 Overexpression Lysate NBP2-05035

Unit Size: 0.1 mg

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-05035

Updated 11/9/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-05035



NBP2-05035

KLC3 Overexpression Lysate

| Product Information | |
|-----------------------------|--|
| Unit Size | 0.1 mg |
| Concentration | The exact concentration of the protein of interest cannot be determined for overexpression lysates. Please contact technical support for more information. |
| Storage | Store at -80C. Avoid freeze-thaw cycles. |
| Buffer | RIPA buffer |
| Target Molecular Weight | 55.2 kDa |
| Product Description | |
| Description | KLC3 Transient Overexpression Lysate |
| | Expression Host: HEK293T |
| | Plasmid: RC209427 |
| | Accession#: NM_177417 |
| | Protein Tag: C-MYC/DDK |
| | You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate contains 100ug of total protein (at 1 mg/ml). The 2xSDS Sample Buffer consists of 4% SDS, 125mM Tris-HCI pH6.8, 10% Glycerol, 0.002% Bromophenol blue, 100mM DTT. |
| Gene ID | 147700 |
| Gene Symbol | KLC3 |
| Species | Human |
| Notes | HEK293T cells in 10-cm dishes were transiently transfected with a non-lipid polymer transfection reagent specially designed and manufactured for large volume DNA transfection. Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer (25mM Tris-HCl pH7.6, 150mM NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix, 1mM PMSF and 1mM Na3VO4, and then centrifuged to clarify the lysate. Protein concentration was measured by BCA protein assay kit. |
| Lysate Type | Overexpression |
| Product Application Details | |
| Applications | Western Blot |
| Recommended Dilutions | Western Blot |
| | |



| for 20-5 | duct is intended for use as a positive control in Western Blot. |
|--------------------|---|
| detectio | pression of the target protein was confirmed using an antibody to DDK |
| recomm | epitope tag (<u>NBP1-71705</u>) present on the protein construct. |
| and 2X loading. | al of cell lysate contains 100ug of total protein which should be sufficient 0 reactions. Depending on over-expression level, antibody affinity and n system, some lysates can go as low as 0.1 ug per load. We end starting with 5ug of cell lysate. Add an equal amount of cell lysate SDS Sample buffer and boil the SDS samples for 10 minutes before |

Images

Western Blot: KLC3 Overexpression Lysate (Adult Normal) [NBP2-05035] Left-Empty vector transfected control cell lysate (HEK293 cell lysate); Right -Over-expression Lysate for KLC3.

| 1 | 70 | - |
|---|----|---|
| 1 | 30 | — |
| 1 | 00 | _ |
| | 70 | _ |
| 3 | 55 | |
| | 40 | |
| | 35 | _ |
| 3 | 25 | - |
| | 15 | |
| 3 | 15 | |
| 3 | 10 | _ |
| | | |





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-05035

| H00147700-P01-10ug | Recombinant Human KLC3 GST (N-Term) Protein |
|--------------------|---|
| NB300-109 | Tyrosine Hydroxylase Antibody |
| NBP2-38794 | KLC3 Antibody |
| NBP1-49533 | Glut4 Antibody - BSA Free |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-05035

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

