# **Product Datasheet**

# KIF1-binding protein Overexpression Lysate NBP2-07140

Unit Size: 0.1 mg

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-07140

Updated 11/9/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-07140



# NBP2-07140

Product Information Unit Size  Concentration  The exact concentration of the protein of interest cannot be determined for overexpression lysates. Please contact technical support for more information.  Storage  Store at -80C. Avoid freeze-thaw cycles.  Buffer  RIPA buffer  71.6 kDa  Product Description  Description  KIF1-binding protein Transient Overexpression Lysate  Expression Host: HEK293T  Plasmid: RC204278  Accession#: NM_015634  Protein Tag: C-MYC/DDK  You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate contains 100ug of total protein (at 1 mg/ml). The 2xSDS Sample Buffer consists	KIF1-binding protein Overexpression Lysate		
Concentration The exact concentration of the protein of interest cannot be determined for overexpression lysates. Please contact technical support for more information.  Storage Store at -80C. Avoid freeze-thaw cycles.  Buffer RIPA buffer Target Molecular Weight 71.6 kDa  Product Description  Description  KIF1-binding protein Transient Overexpression Lysate  Expression Host: HEK293T  Plasmid: RC204278  Accession#: NM_015634  Protein Tag: C-MYC/DDK  You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate	Product Information		
overexpression lysates. Please contact technical support for more information.  Storage Store at -80C. Avoid freeze-thaw cycles.  Buffer RIPA buffer  Target Molecular Weight 71.6 kDa  Product Description  Description  KIF1-binding protein Transient Overexpression Lysate  Expression Host: HEK293T  Plasmid: RC204278  Accession#: NM_015634  Protein Tag: C-MYC/DDK  You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate	Unit Size	0.1 mg	
Buffer Target Molecular Weight 71.6 kDa  Product Description Description  KIF1-binding protein Transient Overexpression Lysate  Expression Host: HEK293T Plasmid: RC204278 Accession#: NM_015634 Protein Tag: C-MYC/DDK You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate	Concentration		
Target Molecular Weight  71.6 kDa  Product Description  KIF1-binding protein Transient Overexpression Lysate  Expression Host: HEK293T  Plasmid: RC204278  Accession#: NM_015634  Protein Tag: C-MYC/DDK  You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate	Storage	Store at -80C. Avoid freeze-thaw cycles.	
Product Description  KIF1-binding protein Transient Overexpression Lysate  Expression Host: HEK293T  Plasmid: RC204278  Accession#: NM_015634  Protein Tag: C-MYC/DDK  You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate	Buffer	RIPA buffer	
Expression Host: HEK293T  Plasmid: RC204278  Accession#: NM_015634  Protein Tag: C-MYC/DDK  You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate	Target Molecular Weight	71.6 kDa	
Expression Host: HEK293T  Plasmid: RC204278  Accession#: NM_015634  Protein Tag: C-MYC/DDK  You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate	Product Description		
Plasmid: RC204278  Accession#: NM_015634  Protein Tag: C-MYC/DDK  You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate	Description	KIF1-binding protein Transient Overexpression Lysate	
Accession#: NM_015634  Protein Tag: C-MYC/DDK  You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate		Expression Host: HEK293T	
Protein Tag: C-MYC/DDK  You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate		Plasmid: RC204278	
You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate		Accession#: NM_015634	
(100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate		Protein Tag: C-MYC/DDK	
of 4% SDS, 125mM Tris-HCl pH6.8, 10% Glycerol, 0.002% Bromophenol blue, 100mM DTT.		(100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate contains 100ug of total protein (at 1 mg/ml). The 2xSDS Sample Buffer consists of 4% SDS, 125mM Tris-HCl pH6.8, 10% Glycerol, 0.002% Bromophenol blue,	
<b>Gene ID</b> 26128	Gene ID	26128	
Gene Symbol KIFBP	Gene Symbol	KIFBP	
Species Human	Species	Human	
Notes  HEK293T cells in 10-cm dishes were transiently transfected with a non-lipid polymer transfection reagent specially designed and manufactured for large volume DNA transfection. Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer (25mM Tris-HCl pH7.6, 150mM NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix, 1mM PMSF and 1mM Na3VO4, and then centrifuged to clarify the lysate. Protein concentration was measured by BCA protein assay kit.	Notes	polymer transfection reagent specially designed and manufactured for large volume DNA transfection. Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer (25mM Tris-HCl pH7.6, 150mM NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix, 1mM PMSF and 1mM Na3VO4, and then centrifuged to clarify the lysate. Protein	
Lysate Type Overexpression	Lysate Type	Overexpression	

# **Product Application Details**

Applications	Western Blot
<b>Recommended Dilutions</b>	Western Blot



#### **Application Notes**


This product is intended for use as a positive control in Western Blot.

Overexpression of the target protein was confirmed using an antibody to DDK (FLAG) epitope tag (NBP1-71705) present on the protein construct.

Each vial of cell lysate contains 100ug of total protein which should be sufficient for 20-50 reactions. Depending on over-expression level, antibody affinity and detection system, some lysates can go as low as 0.1 ug per load. We recommend starting with 5ug of cell lysate. Add an equal amount of cell lysate and 2X SDS Sample buffer and boil the SDS samples for 10 minutes before loading.

## **Images**

Western Blot: KIF1-binding protein Overexpression Lysate (Adult Normal) [NBP2-07140] Left-Empty vector transfected control cell lysate (HEK293 cell lysate); Right -Over-expression Lysate for KIF1-binding protein.





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# **Products Related to NBP2-07140**

H00026128-P01-10ug Recombinant Human KIF1-binding protein GST (N-Term) Protein

NB100-105 HIF-1 alpha Antibody (H1alpha67) H00026128-B01P KIF1-binding protein Antibody

DVE00 VEGF [HRP]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-07140

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

