Product Datasheet

Midkine Overexpression Lysate NBP2-10999

Unit Size: 0.1 mg

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-10999

Updated 11/9/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-10999



NBP2-10999

Midkine Overexpression Lysate

Product Information		
Unit Size 0.1 mg		
	The exact concentration of the protein of interest cannot be determined for overexpression lysates. Please contact technical support for more information.	
Storage Store at	-80C. Avoid freeze-thaw cycles.	
Buffer RIPA b	uffer	
Target Molecular Weight15.4 kD	a	
Product Description		
Description Midki	ne Transient Overexpression Lysate	
Express	ion Host: HEK293T	
Plasmic	: RC221818	
Access	on#: NM_001012334	
Protein	Tag: C-MYC/DDK	
(100ug) contain:	receive 1 vial of lysate (100ug), 1 vial of empty vector negative control , and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate s 100ug of total protein (at 1 mg/ml). The 2xSDS Sample Buffer consists DS, 125mM Tris-HCI pH6.8, 10% Glycerol, 0.002% Bromophenol blue, DTT.	
Gene ID 4192		
Gene Symbol MDK		
Species Human		
polyme volume collectio 150mM PMSF a	BT cells in 10-cm dishes were transiently transfected with a non-lipid transfection reagent specially designed and manufactured for large DNA transfection. Transfected cells were cultured for 48hrs before on. The cells were lysed in modified RIPA buffer (25mM Tris-HCI pH7.6, NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix, 1mM and 1mM Na3VO4, and then centrifuged to clarify the lysate. Protein ration was measured by BCA protein assay kit.	
Lysate Type Overex	pression	
Product Application Details		
Applications Western	n Blot	



Application Notes	This product is intended for use as a positive control in Western Blot. Overexpression of the target protein was confirmed using an antibody to DDK (FLAG) epitope tag (<u>NBP1-71705</u>) present on the protein construct.
	Each vial of cell lysate contains 100ug of total protein which should be sufficient for 20-50 reactions. Depending on over-expression level, antibody affinity and detection system, some lysates can go as low as 0.1 ug per load. We recommend starting with 5ug of cell lysate. Add an equal amount of cell lysate and 2X SDS Sample buffer and boil the SDS samples for 10 minutes before loading.
Imagaa	

Images

Western Blot: Midkine Overexpression Lysate (Adult Normal) [NBP2-10999] Left-Empty vector transfected control cell lysate (HEK293 cell lysate); Right -Over-expression Lysate for Midkine.

158-		
106-		
79		
48 —		
35-	-	
35- 23-		
	-	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-10999

NBP2-34997-5ug	Recombinant Human Midkine Protein
236-EG-200	EGF [Unconjugated]
AF-258-PB	Midkine Antibody [Unconjugated]
210-TA-005	TNF-alpha [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-10999

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

