Product Datasheet

CCRL2/CRAM-A/B Antibody (MM0158-5A15) - Azide and BSA Free NBP2-12137

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-12137

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-12137




NBP2-12137

CCRL2/CRAM-A/B Antibody (MM0158-5A15) - Azide and BSA Free

CCRL2/CRAIN-A/B Antibody (MINI0158-5A15) - Azide and BSA Free	
Product Information	
Unit Size	0.1 mg
Concentration	LYOPH mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	MM0158-5A15
Preservative	No Preservative
Reconstitution Instructions	Reconstitute with sterilized PBS to a final concentration of 0.5 mg/ml.
Isotype	IgG2
Purity	Protein G purified
Buffer	Lyophilized from a 0.2 um filtered solution in PBS. 0.025 mg size is provided in liquid form, PBS
Product Description	
Description	Novus Biologicals Mouse CCRL2/CRAM-A/B Antibody (MM0158-5A15) - Azide and BSA Free (NBP2-12137) is a monoclonal antibody validated for use in IHC and Flow. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	9034
Gene Symbol	CCRL2
Species	Human
Specificity/Sensitivity	Detects both human CRAM-Aand CRAM-B isoforms.
Immunogen	Human recombinant CCRL2/CRAM-A/B
Product Application Details	
Applications	Immunohistochemistry-Paraffin, Flow Cytometry, Immunohistochemistry, CyTOF-ready
Recommended Dilutions	Flow Cytometry 1:10-1:1000, Immunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:10-1:500, CyTOF-ready
Application Notes	This antibody is Cytof ready.

Images

Immunohistochemistry-Paraffin: CCRL2/CRAM-A/B Antibody (MM0158-5A15) [NBP2-12137] - 10% Buffer formalin fixed and parffine embedded human placetal tissue section (4um) is subjected IHC staining using NBP2-12137. Tissue section was pretreated in citric buffer (pH 6.0) with microwave for antige retrieval before IHC is applied.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-12137

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP2-12137UV CCRL2/CRAM-A/B Antibody (MM0158-5A15) [DyLight 350]

NBP1-85588PEP CCRL2/CRAM-A/B Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-12137

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

