

Product Datasheet

HCN4 Antibody (S114/10) - BSA Free NBP2-12910

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-12910

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-12910



NBP2-12910


HCN4 Antibody (S114/10) - BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	S114/10
Preservative	0.09% Sodium Azide
Isotype	IgG1
Purity	Protein G purified
Buffer	PBS (pH 7.4), 50% Glycerol
Product Description	
Description	Novus Biologicals Mouse HCN4 Antibody (S114/10) - BSA Free (NBP2-12910) is a monoclonal antibody validated for use in IHC, WB, Flow and ICC/IF. Anti-HCN4 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	10021
Gene Symbol	HCN4
Species	Human, Mouse, Rat, Rabbit
Specificity/Sensitivity	Detects approx 130 kDa. No cross-reactivity against other HCNs.
Immunogen	Fusion protein amino acids 1019-1198 (c-terminus) of rat HCN4
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Microarray
Recommended Dilutions	Western Blot 1:1000, Flow Cytometry, Immunohistochemistry 1:1000, Immunocytochemistry/ Immunofluorescence 1:100, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Microarray
Application Notes	1 ug/mL of HCN4 Antibody was sufficient for detection of HCN4 in 10 ug of COS cell lysate transiently transfected with HCN4 by colorimetric immunoblot analysis using Goat anti-mouse IgG:HRP as the secondary antibody.




Images


Western Blot: HCN4 Antibody (S114/10) [NBP2-12910] - Western Blot analysis of Human T-HEK cell lysate showing detection of HCN4 protein using Mouse Anti-HCN4 Monoclonal Antibody, Clone N114/10 (NBP2-12910). Load: 15 ug. Block: 1.5% BSA for 30 minutes at RT. Primary Antibody: Mouse Anti-HCN4 Monoclonal Antibody (NBP2-12910) at 1:1000 for 2 hours at RT. Secondary Antibody: Sheep Anti-Mouse IgG: HRP for 1 hour at RT.




Immunocytochemistry/Immunofluorescence: HCN4 Antibody (S114/10) [NBP2-12910] - Immunocytochemistry/Immunofluorescence analysis using Mouse Anti-HCN4 Monoclonal Antibody, Clone N114/10 (NBP2-12910). Tissue: Neuroblastoma cells (SH-SY5Y). Species: Human. Fixation: 4% PFA for 15 min. Primary Antibody: Mouse Anti-HCN4 Monoclonal Antibody (NBP2-12910) at 1:100 for overnight at 4C with slow rocking. Secondary Antibody: AlexaFluor 488 at 1:1000 for 1 hour at RT. Counterstain: Phalloidin-iFluor 647 (red) F-Actin stain; Hoechst (blue) nuclear stain at 1:800, 1.6mM for 20 min at RT. (A) Hoechst (blue) nuclear stain. (B) Phalloidin-iFluor 647 (red) F-Actin stain. (C) HCN4 Antibody (D) Composite.



Immunohistochemistry: HCN4 Antibody (S114/10) [NBP2-12910] - Immunohistochemistry analysis using Mouse Anti-HCN4 Monoclonal Antibody, Clone N114/10 (NBP2-12910). Tissue: hippocampus. Species: Human. Fixation: Bouin's Fixative and paraffin-embedded. Primary Antibody: Mouse Anti-HCN4 Monoclonal Antibody (NBP2-12910) at 1:100 for 1 hour at RT. Secondary Antibody: FITC Goat Anti-Mouse (green) at 1:50 for 1 hour at RT.



Immunohistochemistry-Frozen: HCN4 Antibody (S114/10) [NBP2-12910] - Tissue: frozen brain section. Species: mouse. Fixation: 10% Formalin Solution for 12-24 hours at RT. Primary Antibody: Mouse Anti-HCN4 Monoclonal Antibody at 1:1000 for 1 hour at RT. Secondary Antibody: HRP/DAB Detection System: Biotinylated Goat Anti-Mouse, Streptavidin Peroxidase, DAB Chromogen (brown) for 30 minutes at RT. Counterstain: Mayer Hematoxylin (purple/blue) nuclear stain at 250-500 uL for 5 minutes at RT.



Publications

S Marchiano, K Nakamura, H Reinecke, L Neidig, M Lai, S Kadota, F Perbellini, X Yang, JM Klaiman, LP Blakely, E Karbassi, PA Fields, AM Fenix, KM Beussman, A Jayabalu, FA Kalucki, A Futakuchi-, GJ Weber, S Dupras, H Tsuchida, L Pabon, L Wang, BC Knollmann, S Kattman, RS Thies, N Sniadecki, WR MacLellan, A Bertero, CE Murry
Gene editing to prevent ventricular arrhythmias associated with cardiomyocyte cell therapy Cell Stem Cell, 2023-04-06;30(4):396-414.e9. 2023-04-06 [PMID: 37028405]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-12910

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-12910

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

