Product Datasheet

Nodal Antibody - BSA Free NBP2-13664

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-13664

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-13664



NBP2-13664


Nodal Antibody - BSA Free

Unit Size Concentration Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 4838 Gene Symbol NODAL Species Human Immunogen This antibody was developed against a recombinant protein corresponding to the amino acids:	Nodal Antibody - BSA Free	
Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 4838 Gene Symbol NODAL Species Human Immunogen This antibody was developed against a recombinant protein corresponding to the amino acids: PTEGSLAIEIFHQPKPDTEQASDSCLERFQMDLFTVTLSQVTFSLGSMVLEVTR PLSKWLKHPGALEKQMSRV Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes	Product Information	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 4838 Gene Symbol NODAL Species Human Immunogen This antibody was developed against a recombinant protein corresponding to the amino acids: PTEGSLAIEIFHQPKPDTEQASDSCLERFQMDLFTVTLSQVTFSLGSMVLEVTR PLSKWLKHPGALEKQMSRV Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200, Immunohistochemistry/Paraffin Permeabilization: Use	Unit Size	0.1 ml
cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 4838 Gene Symbol NODAL Species Human Immunogen This antibody was developed against a recombinant protein corresponding to the amino acids:	Concentration	
Preservative Isotype IgG Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 4838 Gene Symbol NODAL Species Human Immunogen This antibody was developed against a recombinant protein corresponding to the amino acids: PTEGSLAIEIFHQPKPDTEQASDSCLERFQMDLFTVTLSQVTFSLGSMVLEVTR PLSKWLKHPGALEKQMSRV Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Storage	·
IgG	Clonality	Polyclonal
Purity Immunogen affinity purified Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 4838 Gene Symbol NODAL Species Human Immunogen This antibody was developed against a recombinant protein corresponding to the amino acids:	Preservative	0.02% Sodium Azide
Buffer PBS (pH 7.2) and 40% Glycerol Product Description Host Rabbit Gene ID 4838 Gene Symbol NODAL Species Human This antibody was developed against a recombinant protein corresponding to the amino acids:	Isotype	IgG
Product Description Host Rabbit Gene ID 4838 Gene Symbol NODAL Species Human Immunogen This antibody was developed against a recombinant protein corresponding to the amino acids:	Purity	Immunogen affinity purified
Host Rabbit Gene ID 4838 Gene Symbol NODAL Species Human Immunogen This antibody was developed against a recombinant protein corresponding to the amino acids: PTEGSLAIEIFHQPKPDTEQASDSCLERFQMDLFTVTLSQVTFSLGSMVLEVTR PLSKWLKHPGALEKQMSRV Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Buffer	PBS (pH 7.2) and 40% Glycerol
Gene ID 4838 Gene Symbol NODAL Species Human This antibody was developed against a recombinant protein corresponding to the amino acids: PTEGSLAIEIFHQPKPDTEQASDSCLERFQMDLFTVTLSQVTFSLGSMVLEVTR PLSKWLKHPGALEKQMSRV Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Product Description	
Gene Symbol NODAL Species Human This antibody was developed against a recombinant protein corresponding to the amino acids: PTEGSLAIEIFHQPKPDTEQASDSCLERFQMDLFTVTLSQVTFSLGSMVLEVTR PLSKWLKHPGALEKQMSRV Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Host	Rabbit
Species Human This antibody was developed against a recombinant protein corresponding to the amino acids: PTEGSLAIEIFHQPKPDTEQASDSCLERFQMDLFTVTLSQVTFSLGSMVLEVTR PLSKWLKHPGALEKQMSRV Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Gene ID	4838
Immunogen This antibody was developed against a recombinant protein corresponding to the amino acids: PTEGSLAIEIFHQPKPDTEQASDSCLERFQMDLFTVTLSQVTFSLGSMVLEVTR PLSKWLKHPGALEKQMSRV Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Gene Symbol	NODAL
amino acids: PTEGSLAIEIFHQPKPDTEQASDSCLERFQMDLFTVTLSQVTFSLGSMVLEVTR PLSKWLKHPGALEKQMSRV Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Species	Human
Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Immunogen	amino acids: PTEGSLAIEIFHQPKPDTEQASDSCLERFQMDLFTVTLSQVTFSLGSMVLEVTR
Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200 Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Product Application Details	
Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Recommended Dilutions	
	Application Notes	Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use




Images

Western Blot: Nodal Antibody [NBP2-13664] - Analysis in control (vector only transfected HEK293T lysate) and NODAL over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (3.1 kDa) in mammalian HEK293T cells).



Immunohistochemistry-Paraffin: Nodal Antibody [NBP2-13664] - Staining of human testis shows strong cytoplasmic positivity in cells in seminiferus ducts.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-13664

NBP2-13664PEP Nodal Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-13664

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

