# **Product Datasheet**

## BcI-10 Antibody NBP2-15554

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-15554

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-15554



### NBP2-15554


**Bcl-10** Antibody

Doi 10 / titlibody	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.01% Thimerosal
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS (pH 7), 20% Glycerol, 1% BSA
Target Molecular Weight	26 kDa
Product Description	
Description	Novus Biologicals Knockout (KO) Validated Rabbit Bcl-10 Antibody (NBP2-15554) is a polyclonal antibody validated for use in IHC, WB, ICC/IF and IP. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	8915
Gene Symbol	BCL10
Species	Human, Mouse
Immunogen	Recombinant protein encompassing a sequence within the center region of human Bcl-10. The exact sequence is proprietary.
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunoprecipitation, Knockout Validated
Recommended Dilutions	Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,

	Immunofluorescence, Immunohistochemistry, Immunoprecipitation, Knockout Validated
Recommended Dilutions	Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunoprecipitation 1:100-1:500, Immunohistochemistry-Paraffin 1:100-1:1000, Knockout Validated


## **Images**

Western Blot: Bcl-10 Antibody [NBP2-15554] - Wild-type (WT) and BCL10 knockout (KO) HeLa cell extracts (30 ug) were separated by 12% SDS-PAGE, and the membrane was blotted with BCL10 antibody. HRPconjugated anti-rabbit IgG antibody was used to detect the primary antibody.







Western Blot: Bcl10 Antibody [NBP2-15554] - Sample (30 ug of whole cell lysate) A: Raji 12% SDS PAGE gel, diluted at 1:1000.




Immunocytochemistry/Immunofluorescence: Bcl10 Antibody [NBP2-15554] - BCL10 antibody detects BCL10 protein at cytoplasm by immunofluorescent analysis. Sample: HeLa cells were fixed in 2% paraformaldehyde/culture medium at 37C for 30 min. Green: BCL10 protein stained by BCL10 antibody diluted at 1:500. Blue: Hoechst 33342 staining.




Immunohistochemistry-Paraffin: Bcl10 Antibody [NBP2-15554] - Immunohistochemical analysis of paraffin-embedded Gastric ca, using antibody at 1:500 dilution.



Western Blot: Bcl10 Antibody [NBP2-15554] - BCL10 antibody detects BCL10 protein by Western blot analysis. A. 30 ug Neuro2A whole cell lysate/extract B. 30 ug GL261 whole cell lysate/extract C. 30 ug C8D30 whole cell lysate/extract12 % SDS-PAGEBCL10 antibody dilution: 1:1000.



Immunoprecipitation: Bcl-10 Antibody [NBP2-15554] - IP samples: Raji whole cell extract A. 40 ug Raji whole cell extract B. Control with 4 ug of preimmune Rabbit IgG C. Immunoprecipitation of BCL10 protein by 4 ug BCL10 antibody 12 % SDS-PAGE The immunoprecipitated BCL10 protein was detected by BCL10 antibody diluted at 1:500. [EasyBlot antirabbit IgG was used as a secondary reagent].







## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP2-15554**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-99064-10ug Recombinant Human Bcl-10 His Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-15554

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

